

## Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.




62, 73

c1040


LIBRARY  
RECEIVED  
★ JAN 5<sup>TH</sup> 1926  
U. S. DEPT. OF AGRICULTURE

# Dreer's Old-fashioned Hardy Plants



GROWN  
AND  
OFFERED BY  
**HENRY A. DREER**  
714 Chestnut Street  
PHILADELPHIA

# DREER'S SELECT HARDY PERENNIAL PLANTS



A VIEW IN OUR NURSERY, WHERE WE GROW HARDY PERENNIAL PLANTS BY THE ACRE.

Of all the plants that are cultivated for purely ornamental purposes there are none which have made such rapid strides in public favor as the **Old-fashioned Hardy Garden Flowers**, the inhabitants of the perennial garden. Their popularity is not at all surprising when we consider the many varied and pleasant changes which take place throughout the entire growing season in a well-arranged hardy border, in which every week—yes, every day—brings forth something fresh and new to interest and delight even the most critical. Beginning in April, the early-flowering varieties open their flowers often before the snow has entirely disappeared, and continue, with constant changing variety, throughout the summer until late in the fall, when only severe freezing weather will stop such persistent late-blooming kinds as Japanese Anemones, Pompon Chrysanthemums, Gaillardias, Gentians, Tritomas, etc.

Twenty years ago there were very few Hardy Perennial Borders outside of some large establishments where one or more professional gardeners were employed, who were familiar with the beauties of the hardy borders as found in almost every garden on the other side of the Atlantic, and who knew how to plan, and plant, and care for them. But a great change has taken place in this country within the last ten years, and there is now a steady and growing interest in this class of plants, and to-day almost everyone who is fortunate enough to have even a small garden devotes at least a part of it to hardy plants.

This change has, in a measure, been created by the many books on Gardening published in recent years, almost every one of which included a chapter or more on the hardy border, while some of them were devoted exclusively to hardy plants. The *Horticultural Press* has also been a great factor in stimulating interest in hardy plants. Unfortunately, while nearly all of the books and magazine articles give glowing descriptions of the delights of the Hardy Border and describe in detail many of the plants, none, as far as we know, give any drawings or plans showing how such a border should be made, or showing the proper location for the various plants in same. The usual excuse for this omission was that each garden demanded special treatment, and that no plan or set of plans could be used for any great number of places, and while this is in some cases true, we feel sure that the several plans which we have had prepared by a practical Landscape Artist, and which embody a great many of our own ideas, and which are reproduced on pages 8 and 9 of this book, will enable many amateurs to undertake the making of a hardy border who have until now been deterred from doing so by not knowing how to go about it.

The plants which we have selected to fill the various sections in the borders illustrated are the kinds that always do well and are most likely to give satisfactory results. Some planters may prefer to make their own selection, and we like to encourage this, as it gives to every border a touch of individuality, and to make this easy we give on pages 2 to 7 and 11 to 17 a complete alphabetical list of the hardy plants we offer this season, together with their color, average height of growth, time of flowering, and whether suited for a sunny or shady location. This list should make it comparatively easy, even for a novice, to make a selection to fill a bed of any size or shape without making a serious blunder.

We strongly recommend that all hardy borders should have a few clumps of spring-flowering bulbs interspersed along the front, including Snowdrops, Scillas, Chionodoxas, Crocus, Narcissus, Cottage Garden Tulips, Spanish Iris, etc., etc. These should be planted from September to November, and will greatly add to the interest of the border during the early spring months. We also suggest the putting of a few clusters of Annuals here and there throughout the border to add color during the hot summer months. For this purpose there is nothing better than Marigolds, Gaillardias, Zinnias, Antirrhinums, etc., etc., a few seeds of which can be sown during May in the spaces where they are wanted to bloom.

## THE MAKING AND CARE OF AN OLD-FASHIONED HARDY BORDER.

Frequent are the discussions and many are the ideas concerning their cultivation and the best method of arranging them in the garden. In arranging hardy flowers one should never forget the ways of Nature, choosing the flowers she uses in the positions she thinks most suitable, while endeavoring to conceal stiffness of arrangement by a careful study of her plans and the judicious use of the beautiful hardy plants at our disposal.

**Situation.**—There is no class of plants which lend themselves to such varied assortment of climatic or soil conditions, but the most effective position for Hardy Perennial plants in general is a good open border, backed by a hedge, a fence or trellis covered with Rambling Roses or any other hardy climbing vines, while some of the taller-growing sorts, such as Hollyhocks, Sunflowers, Rudbeckias, Boltonias, Bocconias, etc., are also very attractive when planted throughout a shrubby border, their showy flowers forming a bright contrast with the foliage of the shrubs throughout the summer and fall, when few of the latter are in bloom.

**Soil and Planting.**—Cultivation is of the simplest, beginning with any good garden soil as a foundation, which may be enriched with such fertilizers as well-decomposed manure, bone-meal, or sheep manure deeply dug and well pulverized. The best time to plant hardy plants is just when they are emerging into life after their season's rest, when the weather is favorable and the soil in condition, or they may be set out in the autumn. Above all things avoid wet planting. Do not make the common mistake of overcrowding; give each plant sufficient room to allow it to develop to its full size. The nearest approach to a rule which may be followed in planting being to set out plants which grow to a height of 2 feet or less 12 inches apart, and all others space equal to one-half their height when developed. For example, Aquilegias and Gypsophila, which grow 2 feet high, may be planted 12 inches apart, while Delphinium formosum and Japanese Iris, which grow 3 feet high, should be 18 inches apart. Care should also be taken to blend the colors throughout the garden, so as to prevent too many of one shade of color coming together, causing jarring contrasts. The season of flowering of the different types should also be taken into account, and the different plants as evenly dispersed as possible in order to maintain an equality of flowering plants, leaving no portion of the garden bare or flowerless, nor crowding together too many that bloom at the same time.

**Care in Summer.**—During the growing season careful attention should be given if best results are to be obtained. There is nothing so beneficial as frequent stirring up around the plants, and raking the ground into order again; it allows the air to move more freely through the surface of the soil, thereby encouraging growth and keeping the weeds in check. During hot, dry weather, or when it is not convenient to water, a mulch of any loose, light material will be found very beneficial in retaining the moisture and in keeping the soil from baking; short grass, the rakings of the lawn after cutting, is excellent material for this purpose. Early in summer many varieties will have made considerable growth, and the supporting of these should be taken up in time. It is hardly possible to stake and tie up a plant so that it will have the same graceful appearance as if grown naturally without their aid; still, supports should be inserted at all tall-growing sorts early in the season while the plants are small. In this way they will lend themselves more naturally to their support than if this work is accomplished after the plants have made considerable growth. Once the plants get broken down or allowed to get "set" it is impossible to tie them up into natural shape again. This phase of summer work in the garden is often considered a matter of small importance, yet the difference between doing same in a slipshod and a workman-like manner is most apparent; and, while fully sympathizing with those who may not be able to

spare the time or who may not have the materials at hand necessary to perform this work in the best possible manner, it cannot be too strongly emphasized that these are two of the most important factors in the successful cultivation of all out-of-door plants. The removal of old flower stems will also materially help the appearance of the plants at all times, many species responding to this treatment with an extra crop of flowers later in the season. All decayed foliage should also be removed, so as to keep the garden neat and tidy at all seasons.

**Winter Care.**—About the middle of November or later, when all the soft growth has been killed by the frost and the plants are thoroughly ripened, the old hard-wooded stems should be removed and burnt up. It will then be found beneficial to cover the plants with a top dressing of loose stable litter, or, if this is not to be had, a covering of leaves—Nature's protection. This covering is best applied when the ground is in a dry condition, and should not be everdone, two or three inches spread over loosely being all that is required. A deeper covering would incite the plants into premature growth in the early spring, with a liability of damage by late frosts; don't be in a hurry to cover the plants; a little frost will do them good. As the extreme cold weather begins to disappear this covering should be removed by degrees, allowing any young growths which the plants may have made to gradually harden off. This process usually occupies only a few days, after which the plants may be fully exposed to the sunshine, and the litter or covering which has protected them during the winter may be raked up and removed.

**Replanting.**—It is all nonsense to suppose that Hardy Perennials once planted require no attention for several years. The truth is, if we wish them to give entire satisfaction, we must each spring see that each variety is treated in the best manner to insure its fullest development during the next flowering season. Many ideas are advanced on the question of how often they ought to be divided and transplanted, but no positive rule can be applied. Some sorts will take two or three years or even longer to get established and develop their fullest beauty after being transplanted, and usually the longer they are allowed to grow without disturbance the better results will be accomplished, while others should be transplanted or reset each season.

Most hardy plants which flower during the spring or early summer months, such as Anthericum, Paeonies, Doronicum, Dielytras, etc., produce their new growth from the crown of close, compact roots, and are better if left undivided and undisturbed for several years, the only care necessary for these being a liberal covering with fresh soil or compost early in spring. The late summer and autumn blooming species are usually of a more vigorous growth. Such sorts as Helianthus, Rudbeckias, Asters, Boltonias, Physostegias, etc., on which the original crowns die out each season and many new side-growths are made, are far better if replanted each season, selecting from three to five of the strongest growths, which, after the ground has been redug and enriched, may be reset in the same position or replanted to another section of the garden. Treated in this manner, they will not only produce flowers of larger size and finer colors, but will keep the stronger and more rampant growing varieties from crowding out their equally interesting but less vigorous neighbors.

Many not thoroughly familiar with this class of plants have an idea that nothing but a large field-grown clump will give satisfactory returns the first season. This, as experience has taught us, is in most instances a mistake. A vigorous plant of proper size will, in nearly every case, give quicker and better returns than the best so-called "field clumps." The majority of the stock offered in this catalogue is pot-grown. This does not mean that the plants have been altogether pot-grown, but that they have been field-grown and dug and potted up during the fall months, and such stock can be planted, even late in the spring, with practically no loss, which, in the case of clumps, is often quite serious. The following letter from the well-known and successful amateur, W. C. Egan, endorses our views on this matter.

GENTLEMEN—Your shipment of perennials arrived safely to-day in most excellent order. It certainly is a pleasure, as well as a profit, to receive plants from you. Your system of growing these in pots allows shipment without disturbing the roots, thus insuring uninterrupted growth and no loss in planting.

EGANDALE, ILL.

Respectfully yours,


W. C. EGAN.

# COMPLETE LIST OF


# Dreer's Old-Fashioned Hardy Plants

WE GIVE on pages 2 to 7 and 9 to 17 a complete list of the Hardy Plants we offer this season, together with the general color effect, average height in inches, time of blooming in the latitude of Philadelphia, whether suited for a sunny, shady or partial shady location and price. For full descriptions kindly refer to our Garden Book or general catalogue, a copy of which we will be pleased to send on application.


	Color.	Height Inches.	Time of Flowering.	Location.	Price. Each.	Doz.
<i>Acanthus</i> (Bear's Breech)						
<i>Mollis latifolius</i> .....	or. foliage	36	Aug-Sept	sunny	\$0.25	\$2.50
<i>Achillea</i> (Milfoil or Yarrow)						
<i>Eupatorium</i> .....	yellow	48-60	July-Sept	sunny	.15	1.50
<i>Filipendula</i> .....	yellow	24	July	sunny	.15	1.50
<i>Millefolium roseum</i> .....	pink	18	June-Sept	sunny	.15	1.50
<i>Parnassia</i> fl. pl. The Pearl .....	white	24	July-Aug	sunny	.15	1.50
" " " Boule de Neige .....	white	24	July-Aug	sunny	.15	1.50
<i>Tomentosa</i> .....	yellow	12	June	sunny	.15	1.50
<i>Aconitum</i> (Monks-hood or Helmet Flower)						
<i>Napellus</i> .....	dark blue	36-42	Aug-Sept	shady	.25	2.50
" bicolor .....	blue and white	36	Aug-Sept	shady	.25	2.50
<i>Fischeri</i> .....	pale blue	18	Sept-Oct	shady	.25	2.50
<i>Lycotomum</i> .....	pale yellow	36	June-July	shady	.25	2.50
<i>Spark's variety</i> .....	dark blue	42	June	shady	.25	2.50
<i>Wilsoni</i> .....	violet-blue	60-72	Sept	shady	.25	2.50
<i>Adonis</i> (Bird's Eye)						
<i>Amurensis</i> .....	yellow	12	March-April	sunny	.50	5.00
" fl. pl. .....	yellow	12	March-April	sunny	.50	5.00
<i>Egopodium</i> (Bishop's Weed)						
<i>Podagraria variegata</i> .....	or. foliage	12	.....	sun or shade	.15	1.50
<i>Aetheopappus</i>						
<i>Pulcherimus</i> .....	rose	24-30	July	sunny	.25	2.50
<i>Agrostemma</i> (Rose Campion)						
<i>Coronaria</i> .....	crimson	30-36	June-July	sunny	.15	1.50
<i>Flos Jovis</i> .....	deep pink	12	June-July	sunny	.15	1.50
<i>Ajuga</i> (Bugle)						
<i>Reptans rubra</i> .....	blue	6	May	sun or shade	.15	1.50
<i>Alstromeria</i> (Chilian Lily)						
<i>Chilensis</i> .....	orange	24	July-Sept	partial shade	.15	1.50
<i>Alyssum</i> (Mad-wort)						
<i>Rostratum</i> .....	yellow	12	June-July	sunny	.25	2.50
<i>Saxatile compactum</i> .....	yellow	12	May	sunny	.15	1.50
<i>Anchusa</i> (Alkanet or Bugloss)						
<i>Italica, Dropmore variety</i> .....	blue	36-60	May-July	sunny	.25	2.50
" Opal .....	blue	36-60	May-July	sunny	.25	2.50
" Perry's variety .....	blue	36-60	May-July	sunny	.25	2.50
<i>Myosotidiflora</i> .....	blue	10-12	April-May	sun or shade	.50	5.00
<i>Anemone</i> (Windflower)						
<i>Japonica alba</i> .....	white	24-36	Sept-Oct	sunny	.15	1.50
" Alice .....	silvery-rose	24-36	Sept-Oct	sunny	.30	3.00
" Geante Blanche .....	white	36	Sept-Oct	sunny	.30	3.00
" Kriemhilde .....	rose-pink	24-36	Sept-Oct	sunny	.30	3.00
" Loreley .....	mauve-pink	24-36	Sept-Oct	sunny	.30	3.00
" rubra .....	rosy-red	18-24	Sept-Oct	sunny	.15	1.50
" Prince Henry .....	deep pink	24-36	Sept-Oct	sunny	.15	1.50
" Queen Charlotte .....	soft pink	30-36	Sept-Oct	sunny	.15	1.50
" rosea superba .....	silvery-rose	24-36	Sept-Oct	sunny	.15	1.50
" Whirlwind .....	white	24-36	Sept-Oct	sunny	.15	1.50
<i>Pennsylvanica</i> .....	white	12-15	June-Aug	sun or shade	.15	1.50
<i>Pulsatilla</i> .....	violet	9-12	April-May	sunny	.15	1.50
<i>Sylvestris</i> .....	white	6-10	April-May	sunny	.15	1.50
<i>Anthemis</i> (Marguerite)						
<i>Tinctoria</i> .....	yellow	15	June-Oct	sunny	.15	1.50
<i>Anthericum</i> (St. Bruno's Lily)						
<i>Liliastrum giganteum</i> .....	white	24-30	May	sun or shade	.25	2.50
<i>Aquilegia</i> (Columbine)						
<i>Californica hybrida</i> .....	various	24-36	May-June	sunny	.15	1.50
<i>Canadensis</i> .....	red and yellow	12-24	May	sunny	.15	1.50
<i>Chrysantha</i> .....	yellow	24-36	June	sunny	.15	1.50
<i>Coerulea</i> .....	blue	24-36	June	sunny	.15	1.50
<i>Flabellata nana alba</i> .....	white	15	June	sunny	.15	1.50
<i>Helena</i> .....	blue	24-36	June	sunny	.15	1.50
<i>Skinneri</i> .....	yellow and red	18-24	June	sunny	.15	1.50
<i>Truncata</i> .....	scarlet and yellow	24-30	June	sunny	.15	1.50
<i>Vulgaris</i> .....	violet-blue	18-24	June	sunny	.15	1.50
<i>Arabis</i> (Rock Cress)						
<i>Alpina</i> .....	white	6-8	April-May	sunny	.15	1.50
<i>Arenaria</i> (Sand-Wort)						
<i>Montana</i> .....	white	3	June	sunny	.25	2.50
<i>Armeria</i> (Thrift)						
<i>Maritima splendens</i> .....	pink	9	June-Aug	sunny	.15	1.50
" alba .....	white	9	June-Aug	sunny	.15	1.50
<i>Artemisia</i>						
<i>Abrotanum</i> .....	yellowish	24	Aug-Sept	sunny	.15	1.50
<i>Lactiflora</i> .....	creamy-white	42-54	Aug-Sept	sunny	.25	2.50
<i>Pedemontana</i> .....	yellowish	9	July-Aug	sunny	.15	1.50
<i>Stelleriana</i> .....	yellow	18	Aug	sunny	.15	1.50
<i>Asclepias</i> (Butterfly Weed)						
<i>Incarinata rosea</i> .....	rosy-flesh	36	July-Aug	sunny	.15	1.50
<i>Tuberosa</i> .....	orange	30	July-Aug	sunny	.15	1.50
<i>Asperula</i> (Sweet Woodruff, Waldmeister)						
<i>Odorata</i> .....	white	trailing	May-July	shady	.25	2.50
<i>Aster</i> (Michaelmas Daisies, or Starworts)						
<i>Abendrote</i> .....	rosy-red	30	Sept-Oct	sunny	.25	2.50
<i>Acris</i> .....	violet-blue	15	July-Aug	sunny	.25	2.50
<i>Alpinus</i> .....	purple	6-10	May-June	sunny	.20	2.00
" albus .....	white	6-10	May-June	sunny	.20	2.00
<i>Amellus, Beauty of Ronsdorf</i> .....	lilac-rose	15	July-Aug	sunny	.25	2.50
" Perry's Favorite .....	clear-rose	12	July-Aug	sunny	.25	2.50
" Preciosa .....	violet-blue	12-15	July-Aug	sunny	.25	2.50



Anchusa Italica, Dropmore Variety.




Anemone Japonica.



Campanula Medium (Canterbury Bells).

		Color.	Height Inches.	Time of Flowering.	Location.	Price.	
						Each.	Doz.
Aster—Continued.							
Beauty of Colwall		ageratum-blue	36-48	September	sunny	.25	2.50
Feltham Blue		aniline-blue	30	Aug-Sept	sunny	.25	2.50
Formosissima		violet	36	Sept-Oct	sunny	.15	1.50
Grandiflorus		bluish-violet	24-30	Oct-Nov	sunny	.50	5.00
Lævis		lavender-blue	48	Sept-Oct	sunny	.15	1.50
" Baldur		light-violet	24	Sept-Oct	sunny	.15	1.50
" floribunda		heliotrope	48	Sept-Oct	sunny	.15	1.50
Novæ Angliæ		violet-purple	48	Sept-Oct	sunny	.15	1.50
" " Mrs. F. W. Raynor		crimson-purple	48	Sept-Oct	sunny	.15	1.50
" " rosea		purplish-mauve	48	Sept-Oct	sunny	.15	1.50
Ptarmicoides		white	15	July-Aug	sunny	.25	2.50
Puniceus pulcherrimus		bluish-white	48-60	Sept-Oct	sunny	.15	1.50
Snowflake		white	18	Sept-Oct	sunny	.15	1.50
Sub-cœruleus		bluish-violet	12	June-July	sunny	.20	2.00
Tartaricus		bluish-violet	72	October	sunny	.15	1.50
Thompsoni		Venetian-blue	15-18	July-Aug	sunny	.25	2.50
Top Sawyer		Parma-violet	48	Sept-Oct	sunny	.15	1.50
White Queen		white	48	Sept-Oct	sunny	.15	1.50
Astilbe							
Arendsii	Ceres	light-rose	30-42	June-July	half-shade	.50	5.00
"	Junio	violet-rose	30-42	June-July	half-shade	.50	5.00
"	Salmon Queen	salmon-pink	30-42	June-July	half-shade	.50	5.00
"	Venus	deep-rose	30-42	June-July	half-shade	.50	5.00
"	Vesta	lilac-rose	30-42	June-July	half-shade	.50	5.00
"	White Pearl	white	30-42	June-July	half-shade	.50	5.00
"	mixed seedlings	various	30-42	June-July	half-shade	.30	3.00
Davidii		rose-violet	60-72	June-July	half-shade	.25	2.50
Grandis		white	60-72	June-July	half-shade	.25	2.50
Aubretia (False Wall Cress)							
Bougainvillei		purple	4	April-May	sunny	.15	1.50
Leichtlini		crimson	4	April-May	sunny	.15	1.50
Baptisia (False Indigo)							
Australis		dark-blue	24	June	sunny	.15	1.50
Tinctoria		yellow	24-30	June	sunny	.15	1.50
Bellis (English Daisy)							
Perennis, fl. pl.		white and pink	4	April-May	sunny	.10	.75
Bocconia (Plume Poppy, or Tree Celandine)							
Cordata		creamy-white	72-96	July-Aug	sunny	.15	1.50
Boltonia (False Chamomile)							
Asteroides		white	60-84	Aug	sunny	.15	1.50
Latisquama		pink	48-72	Aug-Sept	sunny	.15	1.50
" nana		pink	24	Aug-Sept	sunny	.15	1.50
Calimeris (Starwort)							
Incisa		pale-lavender	12-18	July-Sept	sunny	.25	2.50
Callirhoe (Poppy Mallow)							
Involucrata		rosy-crimson	6	June-Oct	sunny	.15	1.50
Caltha (Marsh Marigold)							
Palustris		yellow	12-15	May-June	sunny	.15	1.50
" fl. pl.		yellow	12-15	May-June	sunny	.25	2.50
" semi-plena		yellow	12-15	May-June	sunny	.50	5.00
Campanula (Bellflowers)							
Carpatia		blue	8	June-Oct	sunny	.15	1.50
" alba		white	8	June-Oct	sunny	.15	1.50
Glomerata		violet-blue	18	June-Aug	sunny	.15	1.50
Grosseki		dark-blue	24	June-Oct	sunny	.15	1.50
Latifolia	macrantha	purple-blue	36	May-June	sunny	.15	1.50
Medium		blue	36	May-June	sunny	.15	1.50
"		white	36	May-June	sunny	.15	1.50
"		rose	36	May-June	sunny	.15	1.50

Campanula—Continued.	Color.	Height Inches.	Time of Flowering.	Location.	Each.	Doz.
Persicifolia	blue	24	June-July	sunny	.15	1.50
" alba	white	24	June-July	sunny	.15	1.50
" gigantea Moerheimi	white	24-30	June-July	sunny	.35	3.50
Pyramidalis	blue	48-72	August	sunny	.25	2.50
Rotundifolia	blue	10-12	June-Aug	sunny	.15	1.50
Trachelium	purple	36	June-July	sunny	.15	1.50
Caryopteris (Blue Spiraea)						
Mastacanthus	light-blue	30-36	Sept-Oct	sunny	.15	1.50
Cassia (American Senna)						
Marilandica	yellow	36-48	July-Aug	sunny	.15	1.50
Centaurea (Hardheads, or Knapweed)						
Hirta nigra variegata	purple	18-24	July-Aug	sunny	.15	1.50
Dealbata	bright-rose	18	July-Sept	sunny	.15	1.50
Macrocephala	yellow	36-42	July-Aug	sunny	.15	1.50
Montana	violet-blue	24	July-Sept	sunny	.15	1.50
" alba	white	24	July-Sept	sunny	.15	1.50
Cephalaria (Roundheads)						
Alpina	sulphur	72	June-July	sunny	.25	2.50
Cerastium (Snow in Summer)						
Tomentosum	white	6	June	sunny	.15	1.50
Chelone (Shell Flower)						
Glabra alba	creamy-white	18-24	July-Sept	sunny	.25	2.50
Lyoni	rosy-red	18-24	July-Sept	sunny	.25	2.50
" speciosa	light-pink	18-24	July-Sept	sunny	.25	2.50
Chrysanthemum						
Arcticum	white	15	Sept-Oct	sunny	.25	2.50
Shasta Daisy Alaska	white	24	June-Oct	sunny	.25	2.50
" " Mixed Seedlings	white	24	June-Oct	sunny	.15	1.50
" " Ostrich Plume	white	24	June-Sept	sunny	.25	2.50
Large-flowering Autumn Glow						
" " Indian	crimson	24	Oct-Nov	sunny	.15	1.50
" " Golden Queen	red	24	Oct-Nov	sunny	.15	1.50
" " Old Homestead	yellow	24	Oct-Nov	sunny	.15	1.50
" " Victory	pink	24	Oct-Nov	sunny	.15	1.50
" " "	white	18	Oct-Nov	sunny	.15	1.50
Pompon Baby	yellow	15	Oct-Nov	sunny	.10	1.00
" Boston	golden-bronze	24	Oct-Nov	sunny	.10	1.00
" Cerise Queen	cerise-pink	24	Oct-Nov	sunny	.10	1.00
" Globe d'Or	lemon-yellow	15	Oct-Nov	sunny	.10	1.00
" Golden Pheasant	golden-yellow	18	November	sunny	.10	1.00
" Gold Nugget	yellow	18	Oct-Nov	sunny	.10	1.00
" Hijos	primrose	18	Sept-Oct	sunny	.10	1.00
" Julia Lagraver	garnet	24	Oct-Nov	sunny	.10	1.00
" King Henry	straw-white	24	Oct-Nov	sunny	.10	1.00
" Little Pet	violet-crimson	24	Oct-Nov	sunny	.10	1.00
" Model of Perfection	white	24	Oct-Nov	sunny	.10	1.00
" Mrs. Porter	bronze	24	Oct-Nov	sunny	.10	1.00
" Overbrook	chrome-yellow	18	Oct-Nov	sunny	.10	1.00
" Pettitlan	sulphur	24	Oct-Nov	sunny	.10	1.00
" President	purple-crimson	24	Oct-Nov	sunny	.10	1.00
" Rhoda	light-pink	24	Oct-Nov	sunny	.10	1.00
" Rosinante	blush-rose	24	Oct-Nov	sunny	.10	1.00
" Sir Michael	lemon	24	Oct-Nov	sunny	.10	1.00
" Sœur Melanie	white	24	Oct-Nov	sunny	.10	1.00
" St. Iloria	silvery-rose	24	Oct-Nov	sunny	.10	1.00
" Strathmeath	rosy-pink	18	Oct-Nov	sunny	.10	1.00
" Sunshine	yellow	24	Oct-Nov	sunny	.10	1.00
" The Hub	white	24	Oct-Nov	sunny	.10	1.00
" Trojan	maroon	18	Oct-Nov	sunny	.10	1.00
" Victor	rosy-crimson	18	Oct-Nov	sunny	.10	1.00
Cimicifuga (Snake Root)						
Acerinum, or Japonicum	white	30	Aug-Sept	partial shade	.25	2.50
Racemosa	white	48-72	July-Aug	partial shade	.25	2.50
Simplex	white	30-36	Sept-Oct	partial shade	.50	5.00
Claytonia (Spring Beauty)						
Virginica	light-pink	3	March-April	shade	.15	1.50
Clematis						
Davidiana	light-blue	24-30	Aug-Sept	sunny	.15	1.50
Recta	white	24-36	June-July	sunny	.25	2.50
Recta fl. pl.	white	24-36	June-July	sunny	.50	5.00
Convallaria (Lily of the Valley)						
Majalis	white	6	May	sun or shade	.25	2.50
Coreopsis						
Lanceolata grandiflora	yellow	24-36	June-Sept	sunny	.15	1.50
Delphinium (Hardy Larkspur)						
Amos Perry	rosy-mauve	36-48	June-Sept	sunny	.35	3.50
Atropurpureum	violet-purple	36	June-Sept	sunny	.35	3.50
Belladonna	turquoise-blue	36-48	June-Sept	sunny	.25	2.50
Capri	sky-blue	36-48	June-Sept	sunny	.50	5.00
Chinense	gentian-blue	24-30	June-Sept	sunny	.15	1.50
" album	white	24-30	June-Sept	sunny	.15	1.50
Formosum	dark-blue	36-48	June-Sept	sunny	.15	1.50
Gold Medal hybrids	all colors	36-60	June-Sept	sunny	.15	1.50
Hugo Poortman	pale-blue	36-48	June-Sept	sunny	.60	5.00
J. S. Brunton	turquoise-blue	30-42	June-Sept	sunny	.40	4.00
K. Th. Caron	gentian-blue	36-60	June-Sept	sunny	.35	3.50
King of Delphiniums	deep-blue	48-60	June-Sept	sunny	.50	5.00
Lamartine	gentian-blue	36-48	June-Sept	sunny	.30	3.00
Lizzie	azure-blue	36-48	June-Sept	sunny	.35	3.50
Mme. Violet Geslin	clear-blue	48-60	June-Sept	sunny	.40	4.00
Moerheimi	pure-white	36-48	June-Sept	sunny	.40	4.00
Mrs. Thompson	deep-blue	36-48	June-Sept	sunny	.30	3.00
Persimmon	sky-blue	36-48	June-Sept	sunny	.35	3.50
Queen Wilhelmina	lavender-blue	36-48	June-Sept	sunny	.40	4.00
Rev. E. Lascelles	deep-blue	48-60	June-Sept	sunny	1.25	15.00
Sulphureum	sluphr-yellow	36-48	June-Sept	sunny	.25	2.50
Theodora	cornflower-blue	36-48	June-Sept	sunny	.30	3.00
Zuster Lugten	dark-blue	36-48	June-Sept	sunny	.35	3.50
Dianthus (Sweet William)						
Barbatus Newport Pink	watermelon-pink	18	June	sunny	.10	1.00
" Scarlet Beauty	deep scarlet	18	June	sunny	.10	1.00
" Sutton's White	white	18	June	sunny	.10	1.00
" mixed	all colors	18	June	sunny	.10	1.00



Pompon Chrysanthemums.



Hybrid Delphiniums.



Digitalis Gloxinæflora.

		Color.	Height Inches.	Time of Flowering.	Location.	Price. Each.	Doz.
<b>Dianthus (Pinks)</b>							
✓	<i>Deltoides</i>	pink	6-9	June-July	sunny	.15	1.50
✓	<i>Latifolius atrococcineus fl. pl.</i>	crimson	10-12	June-Sept	sunny	.15	1.50
✓	<i>Neglectus</i>	pink	9	May-June	sunny	.15	1.50
✓	<i>Plumarius Delicata</i>	silvery-mauve	12	June-Oct	sunny	.25	2.50
✓	" <i>Diamond</i>	white	12	May-June	sunny	.15	1.50
✓	" <i>Elsie</i>	rose	12	May-June	sunny	.15	1.50
✓	" <i>Excelsior</i>	rose-pink	12	May-June	sunny	.15	1.50
✓	" <i>Gloriosa</i>	lilac-mauve	12	June-Oct	sunny	.25	2.50
✓	" <i>Her Majesty</i>	white	12	May-June	sunny	.15	1.50
✓	" <i>Homer</i>	rosy-red	12	May-June	sunny	.15	1.50
✓	" <i>Juliette</i>	white and crimson	12	May-June	sunny	.15	1.50
✓	" <i>Snow</i>	white	12	May-June	sunny	.15	1.50
✓	" <i>White Reserve</i>	white	12	June-Oct	sunny	.15	1.50
✓	" <i>William Hooper</i>	white and purple	12	May-June	sunny	.15	1.50
✓	" <i>mixed seedlings</i>	all colors	12	May-June	sunny	.10	1.00
<b>Dictamnus (Gas Plant)</b>							
✓	<i>Fraxinella</i>	rosy-pink	24-30	June-July	sunny	.15	1.50
✓	" <i>alba</i>	white	24-30	June-July	sunny	.15	1.50
✓	" <i>Caucasicus</i>	rosy-pink	24-30	June-July	sunny	.25	2.50
<b>Dielytra (Bleeding Heart)</b>							
✓	<i>Spectabilis</i>	pink	24	May	sun or shade	.15	1.50
✓	<i>Formosa</i>	pink	12-15	May-Aug	sunny	.15	1.50
<b>Digitalis (Foxglove)</b>							
✓	<i>Ambigua, or grandiflora</i>	pale yellow	24-36	June-July	sun or partial shade	.15	1.50
✓	<i>Gloxinaeflora</i>	various	48-72	June-July	sun or partial shade	.15	1.50
✓	<i>Lanata</i>	chocolate and white	24-36	July-Aug	sun or partial shade	.15	1.50
<b>Doronicum (Leopard's Bane)</b>							
✓	<i>Caucasicum</i>	yellow	12	May	sunny	.25	2.50
✓	<i>Clusii</i>	yellow	18-24	May	sunny	.25	2.50
✓	<i>Excelsum</i>	yellow	24-36	May	sunny	.25	2.50
<b>Echinops (Globe Thistle)</b>							
✓	<i>Ritro</i>	metallic-blue	24-36	July-Sept	sunny	.25	2.50
<b>Epimedium (Barrenwort, Bishop's Hat)</b>							
✓	<i>Alpinum</i>	crimson and yellow	8-10	May	partial shade	.25	2.50
✓	<i>Muschianum</i>	rosy-red	8-10	May	partial shade	.25	2.50
✓	<i>Niveum</i>	white	6-8	May	partial shade	.25	2.50
✓	<i>Sulphureum</i>	yellow	8-10	May	partial shade	.25	2.50
✓	<i>Violaceum</i>	violet	8-10	May	partial shade	.25	2.50
<b>Erigeron (Flea Bane)</b>							
✓	<i>Grandiflorus elatior</i>	bluish-lilac	18	June-July	sunny	.15	1.50
✓	<i>Intermedium</i>	rosy-white	24	June-July	sunny	.25	2.50
<b>Eryngium (Sea Holly)</b>							
✓	<i>Amethystinum</i>	blue	24-30	July-Aug	sunny	.25	2.50
✓	<i>Maritimum</i>	pale-blue	12-15	July-Sept	sunny	.25	2.50
<b>Eupatorium (Thorough-wort)</b>							
✓	<i>Ageratoides</i>	white	36-42	Aug-Sept	sunny	.15	1.50
✓	<i>Coelestinum</i>	light-blue	18-24	Aug-Sept	sunny	.15	1.50
<b>Euphorbia (Milkwort)</b>							
✓	<i>Corollata</i>	white	18	June-Aug	sunny	.15	1.50
<b>Ferns, Choice Hardy</b>							
✓	<i>Adiantum pedatum</i> (Maiden Hair)		8-12		shady	.20	2.00
✓	<i>Aspidium acrostichoides</i> (Wood Fern)		12		shady	.20	2.00
✓	" <i>marginalis</i> (Evergreen Wood Fern)		12-24		shady	.20	2.00
✓	" <i>Goldianum</i> (Shield Fern)		24-36		shady	.20	2.00

Ferns (Choice Hardy)—Continued.		Color.	Height Inches.	Time of Flowering.	Location.	Price.	
					Each.	Doz.	
<i>Asplenium filix-foemina</i>	Victoria (Queen of Lady Ferns)	.....	10-12	.....	shady	.20	2.00
"	"	"	12-15	.....	shady	.20	2.00
"	"	"	12-15	.....	partial shade	.20	2.00
"	"	"	15-18	.....	partial shade	.20	2.00
"	"	"	15-18	.....	shady	.20	2.00
"	"	"	10-15	.....	shady	.20	2.00
"	"	"	15-18	.....	shady	.20	2.00
Dicksonia punctilobula (Gossamer Fern)		.....	24-36	.....	partial shade	.20	2.00
Lastrea Chrysoloba		.....	12	.....	shady	.20	2.00
"	Pseudo-mas Pinderi	.....	18-24	.....	partial shade	.20	2.00
"	filix-mas (Male Fern)	.....	18-24	.....	partial shade	.20	2.00
"	dilatata	.....	18-24	.....	partial shade	.20	2.00
"	propingua	.....	15-18	.....	shady	.20	2.00
Nephrodium hertipes		.....	18-24	.....	partial shade	.20	2.00
Onoclea Struthiopteris (Ostrich Fern)		.....	24-36	.....	partial shade	.20	2.00
"	sensibilis (Sensitive Fern)	.....	12-24	.....	partial shade	.20	2.00
Osmunda cinnamomea (Cinnamon Fern)		.....	24-36	.....	partial shade	.20	2.00
"	Claytoniana (Flowering Fern)	.....	24-36	.....	partial shade	.20	2.00
"	regalis (Royal Fern)	.....	24-36	.....	partial shade	.20	2.00
Polystichum Braunii		.....	12-15	.....	partial shade	.20	2.00
"	setosum	.....	12	.....	partial shade	.20	2.00
"	lobatum	.....	15-18	.....	partial shade	.20	2.00
Scolopendrium officinarum (Hart's Tongue)		.....	12	.....	shady	.25	2.50
"	"	"	12	.....	shady	.50	5.00
"	"	"	12	.....	shady	.50	5.00
Funkia (Plantain Lily)							
Alba marginata		lilac	24	July	sun or shade	.25	2.50
Coerulea		blue	48	June	sun or shade	.15	1.50
Fortunei		mauve	24	July	sun or shade	.25	2.50
"	gigantea	lilac	30	July	sun or shade	.50	5.00
Minor alba		white	12-15	July	sun or shade	.25	2.50
Lanceolata		lilac	24	September	sun or shade	.15	1.50
Robusta elegans variegata		mauve	30	July	sun or shade	.25	2.50
Sieboldiana		tinted white	30	July	sun or shade	.15	1.50
Subcordata grandiflora		pure white	30-36	Aug-Sept	sun or shade	.15	1.50
Thos. Hogg		lilac	18-24	July	sun or shade	.25	2.50
Undulata media picta		lilac	24	July	sun or shade	.15	1.50
Gaillardia (Blanket Flower)							
Grandiflora		crimson and orange	24	June-Nov	sunny	.15	1.50
Galega (Goat's Rue)							
Duchess of Bedford		lavender	30	July-Aug	sunny	.25	2.50
Gentiana (Gentian)							
Andrewsii		blue	24	August	partial shade	.25	2.50
Geranium (Crane's Bill)							
Sanguineum		crimson	18	June-Oct	sunny	.15	1.50
"	album	white	18	June-Oct	sunny	.15	1.50
Geum (Avens)							
Coccineum		scarlet	15	May-July	sunny	.15	1.50
Mrs. Bradshaw		scarlet	15	May-July	sunny	.25	2.50
Gillenia (Bowman's Root)							
Trifoliata		white	36	July	sun or shade	.25	2.50
Glechoma, or Nepeta (Groundsel)							
Variegata		blue	trailing	July	sun or shade	.10	1.00
Grasses and Bamboos							
Arrhenatherum bulbosum variegatum		.....	6-8	.....	sun or shade	.25	2.50
Arundo Donax		.....	96-240	October	sunny	.25	2.50
"	variegata	.....	96-120	October	sunny	.25	2.50
Bambusa aurea		.....	180-240	.....	sun or shade	1.00	10.00
"	auricoma	.....	36	.....	sun or shade	1.00	10.00
"	Fortunei variegata	.....	18	.....	sun or shade	.50	5.00
"	Henonis	.....	120-180	.....	sun or shade	1.00	10.00
"	Metake	.....	72-120	.....	sun or shade	1.00	10.00
"	Simoni	.....	180-240	.....	sun or shade	.75	7.50
"	viminalis	.....	18-24	.....	sun or shade	.75	7.50
Elymus glaucus		.....	24-36	.....	sun or shade	.25	2.50
Erianthus Ravenne		.....	120-144	Sept-Oct	sunny	.25	2.50
Eulalia gracillima univittata		.....	72-84	Sept-Oct	sunny	.25	2.50
"	Japonica variegata	.....	72-84	Sept-Oct	sunny	.25	2.50
"	" zebrina	.....	72-84	Sept-Oct	sunny	.25	2.50
"	" stricta	.....	72-84	Sept-Oct	sunny	.25	2.50
Festuca glauca		.....	8-10	.....	sunny	.25	2.50
Gynerium argenteum		.....	96-120	October	sunny	.50	5.00
Pennisetum Japonicum		.....	48	Sept-Oct	sunny	.15	1.50
Phalaris arundinacea variegata		.....	12-15	.....	sunny	.15	1.50
Uniola latifolia		.....	36-48	.....	sunny	.15	1.50
Gunnera (Chilian Rhubarb)							
Scabra		or. foliage	60	.....	sunny	.50	5.00
Gypsophila (Baby's Breath)							
Cerastioides		white	3	June-Aug	sunny	.15	1.50
Paniculata		white	24-36	Aug-Sept	sunny	.15	1.50
"	fl. pl	white	24-36	Aug-Sept	sunny	.25	2.50
Repens		white	trailing	July-Aug	sunny	.15	1.50
Helenium (Sneezewort)							
Autumnale superbum		yellow	60-72	Aug-Sept	sunny	.15	1.50
"	rubrum	terra-cotta red	48	Aug-Sept	sunny	.25	2.50
Hoopesi		orange-yellow	24	June	sunny	.15	1.50
Pumilum magnificum		golden-yellow	18	July-Sept	sunny	.15	1.50
Riverton Beauty		lemon-yellow	48	Aug-Sept	sunny	.25	2.50
Helianthemum (Rock, or Sun Rose)							
Vulgare, mixed seedlings		all colors	6	July-Sept	sunny	.25	2.50
Helianthus (Hardy Sunflower)							
Daniel Dewar		yellow	72	July-Aug	sunny	.15	1.50
Maximiliana		golden-yellow	60-84	October	sunny	.15	1.50
Mollis		lemon-yellow	48	Aug-Sept	sunny	.15	1.50
Multiflorus fl. pl.		golden-yellow	48	July-Aug	sunny	.15	1.50
"	maximus	golden-yellow	60-72	July-Aug	sunny	.15	1.50
Orgyalis		yellow	72	September	sunny	.15	1.50
Wolley Dod		deep-yellow	72	Aug-Sept	sunny	.15	1.50
Helopsis (Orange Sunflower)							
Pitcheriana		golden-yellow	36	July-Aug	sunny	.15	1.50
"	semi-plena	golden-yellow	24	July-Aug	sunny	.15	1.50
Scabra-Zinniflora		deep-yellow	24-30	July-Aug	sunny	.25	2.50



Gaillardia Grandiflora.




Gypsophila Paniculata Fl. Pl.



German Iris.

	Color.	Height Inches.	Time of Flowering.	Location.	Price. Each.	Doz.
<b>Helleborus (Christmas Rose)</b>						
Niger .....	tinted-white	12-15	early spring	partial shade	.35	3.50
<b>Hemerocallis (Yellow Day Lily)</b>						
Aurantiaea .....	Indian-yellow	36-48	June-July	sun or shade	.25	2.50
" major .....	Indian-yellow	24-36	June-July	sun or shade	.25	2.50
Dumortieri .....	cadmium-yellow	18	June	sun or shade	.15	1.50
Flava .....	lemon-yellow	30-36	June-July	sun or shade	.15	1.50
Fulva .....	orange	48-60	June-July	sun or shade	.15	1.50
" fl. pl. ....	orange	48-60	July-Aug	sun or shade	.15	1.50
Gold Dust .....	Indian-yellow	30	May-June	sun or shade	.15	1.50
Queen of May .....	Indian-yellow	36-60	May-June	sun or shade	.35	3.50
Thunbergii .....	buttercup-yellow	48	July-Aug	sun or shade	.15	1.50
<b>Hepatica (Liver Leaf)</b>						
Triloba .....	blue	6	March-April	partial shade	.15	1.50
<b>Hesperis (Rocket)</b>						
Matronalis .....	pink	36-48	June-July	sunny	.15	1.50
<b>Heuchera (Alum Root)</b>						
Pluie de Feu .....	raspberry-red	18-24	July-Aug	sunny	.25	2.50
Sanguinea .....	coral-red	18-24	July-Aug	sunny	.25	2.50
" alba .....	creamy-white	18-24	July-Aug	sunny	.25	2.50
<b>Hibiscus (Mallow)</b>						
Giant-flowering Marshmallows .....	red, pink, white	60-96	July-Sept	sunny	.35	3.50
Mallow Marvels .....	all colors	36-60	July-Sept	sunny	.25	2.50
Moscheutos .....	rosy-red	36-48	July-Sept	sunny	.15	1.50
" Crimson Eye .....	white	36-48	July-Sept	sunny	.15	1.50
<b>Hollyhocks</b>						
Allegheny, choice mixed .....	various	72-96	June-July	sunny	.20	2.00
Double-flowering, mixed .....	various	72-96	June-July	sunny	.20	2.00
" " maroon .....	maroon	72-96	June-July	sunny	.20	2.00
" " red .....	red	72-96	June-July	sunny	.20	2.00
" " rose .....	rose	72-96	June-July	sunny	.20	2.00
" " white .....	white	72-96	June-July	sunny	.20	2.00
" " yellow .....	yellow	72-96	June-July	sunny	.20	2.00
" " Newport Pink .....	pink	72-96	June-July	sunny	.25	2.50
Single-flowering, mixed .....	various	72-96	June-July	sunny	.20	2.00
<b>Houstonia (Bluets, or Quaker Lady)</b>						
Serpyllifolia .....	light-blue	trailing	April	sun or shade	.15	1.50
<b>Hypericum (St. John's-wort)</b>						
Adpressum .....	yellow	6-8	July-Aug	sun or shade	.15	1.50
Moserianum .....	yellow	24	July-Sept	sunny	.15	1.50
<b>Iberis (Hardy Candytuft)</b>						
Sempervirens .....	white	8-10	May-June	sunny	.15	1.50
Snowflake .....	white	8-10	May-June	sunny	.15	1.50
<b>Incarvillea (Hardy Gloxinia)</b>						
Delavayi .....	rose-red	18	May	sun or shade	.15	1.50
<b>Inula (Flea Bane)</b>						
Glandulosa grandiflora .....	orange-yellow	30	June-Aug	sunny	.25	2.50
Royleana .....	golden-yellow	18-24	July-Aug	sunny	.25	2.50
<b>Iris Germanica (German Iris)</b>						
Atropurpurea .....	purple	30-36	May	sunny	.15	1.50
Cherion .....	lilac-mauve	24-30	May	sunny	.15	1.50
Common Purple .....	bluish-purple	30-36	May	sunny	.15	1.50
Edith .....	purple	24	May	sunny	.15	1.50
Florentina alba .....	white	36-42	May	sunny	.15	1.50
Gazelle .....	white and mauve	36-48	May	sunny	.15	1.50
Honorabilis .....	yellow and brown	24-30	May	sunny	.15	1.50
Johan de Witt .....	violet-blue	24-30	May	sunny	.15	1.50
Jordan .....	light-mauve	24-30	May	sunny	.15	1.50
King of Iris .....	lemon and brown	30-36	May	sunny	.50	5.00
La Tendresse .....	light-blue	24-30	May	sunny	.15	1.50
Lohengrin .....	violet-mauve	24-30	May	sunny	.50	5.00
Lord Salisbury .....	white and purple	24-30	May	sunny	.15	1.50
Mithras .....	yellow and violet	24-30	May	sunny	.50	5.00
Mme. Chereau .....	white and blue	36-42	May	sunny	.15	1.50
Mrs. Neubronner .....	golden-yellow	24	May	sunny	.25	2.50
Nibelungen .....	yellow and purple	24-30	May	sunny	.50	5.00

BORDER




Plants for Border No. 1 if in a Sunny Position

Section		Section		Section	
1	10 Yellow Yarrow	24	12 Hardy Pinks	47	8 Gold Medal Delphiniums
2	6 Yellow Day Lilies	25	8 Brilliant Stone Crop	48	2 White Paeonias
3	6 White Hardy Phlox	26	6 Hardy Chrysanthemums	49	12 Pyrethrum hybridum
4	6 Red and Yellow Gaillardias	27	4 Oriental Poppies	50	6 Brilliant Stonecrop
5	5 Pink Boltonias	28	8 German Iris	51	5 Yellow Evening Primrose
6	6 Hardy Chrysanthemums	29	8 Shasta Daisies	52	12 Canterbury Bells
7	10 Butterfly Weed	30	8 Gold Medal Delphiniums	53	12 Red and Yellow Gaillardias
8	1 White Paeony	31	6 Red and Yellow Gaillardias	54	10 White Hardy Phlox
9	6 Gold Medal Delphiniums	32	3 Rose Pink Paeonias	55	10 Rosy-carmine Hardy Phlox
10	12 Crimson Heuchera	33	10 Hardy White Candytuft	56	5 Blue Pentstemon
11	2 Crimson Paeonias	34	15 Blue Plumbago	57	8 Golden Coreopsis
12	7 Foxgloves, in variety	35	12 Purple Japan Iris	58	6 Hybrid Delphiniums
13	6 Oriental Poppies	36	6 Clematis recta	59	6 Red Heuchera
14	12 Blue Plumbago	37	8 Phlox Delicate Lilac	60	8 Blue German Iris
15	10 Double White Spiraeas	38	10 Iceland Poppies	61	6 Hardy Chrysanthemums
16	6 Golden Coreopsis	39	6 Double White Spiraeas	62	5 Sweet Williams
17	8 Blue Anchusas	40	6 Red Ragged Robin	63	12 Crested Blue Iris
18	5 Foxgloves, in variety	41	6 Oriental Poppies	64	5 Rose-colored Dictamnus
19	5 Dwarf Pink Boltonias	42	10 Foxgloves, in variety	65	6 Orange Rudbeckias
20	10 Blue Cornflower Aster	43	2 Pink Paeonias	66	12 Japanese Iris, in variety
21	8 Gold Medal Delphiniums	44	10 Blue Bells of Scotland	67	6 Phlox Salmon Pink
22	15 Phlox white, red eye	45	10 Blue Platycodons	68	10 Iceland Poppies
23	6 Yellow Leopard's Bane	46	10 Hardy Chrysanthemums	69	12 Hardy White Candytuft

BORDER

No. 2




Plants for Border No. 2 if in a Sunny Position

Section		Section		Section	
1	3 White Paeonias	19	6 Orange Rudbeckia	37	10 Hardy White Phlox
2	8 Canterbury Bells	20	5 Purple Coneflower	38	5 Orange Rudbeckia
3	5 Orange Sunflower	21	6 Terra-cotta red Helenium	39	10 Brilliant Stone Crop
4	6 Single Hollyhocks	22	6 Double Hollyhock	40	8 Yellow Globe Flower
5	3 Rosy-pink Dictamnus	23	6 Violet Michaelmas Daisies	41	12 Japanese Iris
6	6 Scarlet Bergamot	24	10 Kansas Gay Feather	42	10 Pink False Dragon Head
7	6 Golden Coreopsis	25	5 Blue Eupatorium	43	6 Gold Medal Delphiniums
8	10 Kansas Gay Feather	26	6 Blue Lupines	44	5 Hardy Sunflowers
9	6 Foxgloves, in variety	27	10 White Japan Iris	45	6 White Michaelmas Daisies
10	5 Oriental Poppies	28	2 Pink Japanese Anemone	46	10 Blue Siberian Iris
11	6 Blue Platycodons	29	12 Yellow Evening Primrose	47	6 Orange Globeflowers
12	6 Pale Blue German Iris	30	6 Yellow Leopard's Bane	48	25 Moss Pink, in variety
13	7 Gold Medal Delphiniums	31	6 Double White Lychnis	49	30 Snow in Summer
14	10 Scarlet Phlox	32	6 Hardy Chrysanthemums	50	36 Blue Bells of Scotland
15	6 Hardy Chrysanthemums	33	6 Orange Sunflowers	51	30 White Nierembergia
16	6 Purple Michaelmas Daisies	34	6 Chimney Bellflower	52	25 Moss Pink
17	6 Double Red Ragged Robin	35	10 White Hardy Pinks		
18	6 Orange-scarlet Campion	36	6 Oriental Poppies		

BORDER

No. 3




Plants for Border No. 3 if in a Sunny Position

Section		Section		Section	
1	5 Siebold's Plantain Lily	13	12 White Hardy Phlox	26	15 Hardy Pinks
2	5 Paeonias, in variety	14	6 Hardy Yellow Sunflowers	27	6 Red and Yellow Gaillardias
3	6 Coventry Bells	15	6 Red and Yellow Gaillardias	28	6 Rose-red Michaelmas Daisies
4	4 Blue Anchusas	16	6 White Boltonias	29	6 Dwarf Pink Boltonias
5	6 Golden Coreopsis	17	6 Kansas Gay Feather	30	6 Hardy Chrysanthemums
6	6 White Japanese Iris	18	10 Canterbury Bells	31	8 St. John's wort
7	6 Blackberry Lilies	19	6 Yellow Day Lilies	32	6 Purple Japanese Iris
8	6 Yellow Sneezewort	20	10 Blue Plantain Lilies	33	5 Gold Medal Delphiniums
9	6 White Florentine Iris	21	6 Blue Siberian Iris	34	5 Blue Anchusas
10	6 St. John's wort	22	8 Single Hollyhocks	35	5 Orange Rudbeckia
11	10 Delphinium Belladonna	23	6 Brilliant Stone-crop	36	1 Red Paeony
12	12 Pink False Dragon Head	24	6 Red Shell-flower	37	6 Golden Coreopsis
13	12 Pink Hardy Phlox	25	10 White Hardy Phlox	38	8 White Day Lilies


(8)

For prices of complete collections of p




Plants for Border No. 1 if in a Shady Position

Section		Section		Section	
1	8 Variegated Plantain Lily	24	10 Phlox Amona	47	6 Foxgloves, in variety
2	6 Yellow Day Lilies	25	8 Red Shell Flowers	48	2 Pink Japanese Anemones
3	6 Blue Aconites	26	6 Blue Aconites	49	10 Columbines
4	8 Blue Columbines	27	4 Bleeding Hearts	50	6 Dwarf Golden Rod
5	6 Yellow Loose Strife	28	6 Blue Plantain Lilies	51	8 Lemon Lily
6	6 Crimson Meadow Sweet	29	8 Golden Day Lilies	52	12 Canterbury Bells
7	15 Phlox Divaricata	30	10 Blue Spiderwort	53	18 English Cowslip
8	2 White Japanese Anemones	31	6 Cardinal Flower	54	6 Mertensias
9	6 Chimney Bellflowers	32	3 Red Japanese Anemones	55	8 Meadow Rue
10	8 Snowdrop Windflower	33	10 Blue Forget-me-Nots	56	3 White Loose Strife
11	3 Pink Japanese Anemones	34	15 Blue Forget-me-Nots	57	10 Blue Sage
12	7 Foxgloves, in variety	35	8 White Plantain Lilies	58	6 Foxgloves, in variety
13	6 Lilac Plantain Lily	36	6 Blue Eupatorium	59	6 Dwarf White Columbines
14	18 Epimediums, in variety	37	5 Crimson Meadow Sweet	60	6 Lemon Lily
15	10 Saxifragas	38	6 Plumy Bleeding Hearts	61	10 Hardy Garden Heliotrope
16	6 Blue Aconite	39	6 White Meadow Sweet	62	5 Pink Spirea
17	6 White Meadow Sweet	40	6 Orange Globe Flowers	63	12 Phlox Divaricata
18	5 Foxgloves, in variety	41	6 Meadow Rue	64	5 Bleeding Heart
19	5 White Meadow Rue	42	10 Foxgloves, in variety	65	6 Blue Spiderwort
20	10 Orange Globe Flowers	43	2 Pink Japanese Windflowers	66	12 Orange Day Lily
21	8 Bleeding Hearts	44	10 Blue Bells of Scotland	67	10 Cardinal Flower
22	12 Yellow Day Lilies	45	10 Blue Hare Bells	68	12 White Epimedium
23	6 Yellow Columbines	46	8 Blue Aconites	69	18 Lily of the Valley



Plants for Border No. 2 if in a Shady Position

Section		Section		Section	
1	8 White Japanese Anemones	19	6 White Shell-flower	37	6 Double White Meadow Sweet
2	6 Siebold's Plantain Lily	20	6 Cardinal Flower	38	4 Lilac Plantain Lily
3	6 White Meadow Sweet	21	8 Lemon Lilies	39	5 Yellow Globe-flower
4	6 Blue Aconite	22	6 White Snake-root	40	5 Pink Japanese Anemone
5	6 Yellow Day Lily	23	10 Foxgloves, in variety	41	6 White Plantain Lily
6	6 Plumy Bleeding Heart	24	8 Blue Aconite	42	10 Blue Spiderwort
7	10 Orange Globe Flower	25	5 Blue Eupatorium	43	6 Blue Aconite
8	6 White Eupatorium	26	3 Bleeding Hearts	44	6 Crimson Meadow Sweet
9	6 Foxgloves, in variety	27	10 Yellow Day Lilies	45	6 White Meadow Rue
10	6 Yellow Day Lilies	28	2 Pink Japanese Anemones	46	6 Red Shell-flowers
11	8 Yellow Columbine	29	12 Pink Saxifragas	47	4 Orange Globe Flower
12	6 White Shell-flower	30	12 Blue Liver Leaf	48	25 Blue Myrtle
13	7 Blue Aconites	31	6 Plumy Bleeding Heart	49	25 Blue Forget-me-not
14	10 Yellow Day Lilies	32	8 Lemon Lily	50	36 Phlox Divaricata
15	6 Bleeding Hearts	33	6 White Eupatorium	51	25 Giant Yellow Cowslip
16	5 Rosy-purple Meadow Rue	34	4 White Meadow Rue	52	25 Blue Forget-me-not
17	6 Blue Spiderwort	35	6 Blue Pulmonaria		
18	6 Yellow Day Lilies	36	6 White Snake-root		



Plants for Border No. 3 if in a Shady Position

Section		Section		Section	
1	5 Siebold's Plantain Lily	14	8 White Meadow Rue	27	6 Plumy Bleeding Heart
2	18 Blue Mertensias	15	6 Bleeding Hearts	28	6 Rosy-purple Meadow Rue
3	6 Foxgloves, in variety	16	6 Crimson Meadow Sweet	29	6 Crimson Meadow Sweet
4	6 White Eupatorium	17	4 White Mountain Fleece	30	12 Japanese Toad Lily
5	6 Lemon Lily	18	6 White Meadow Sweet	31	8 St. John's wort
6	12 Foxgloves, in variety	19	6 Yellow Day Lilies	32	5 Bleeding Heart
7	5 Yellow Meadow Rue	20	10 Blue Plantain Lilies	33	8 Blue Aconites
8	4 White Anemone Japonica	21	8 Blue Spiderwort	34	6 Foxgloves, in variety
9	7 St. John's wort	22	8 White Snake-root	35	10 Blue Mertensias
10	12 Columbines, in variety	23	10 Cardinal Flower	36	3 Pink Japanese Anemone
11	10 Blue Aconites	24	6 Red Shell-flower	37	6 White Solomon's Seal
12	8 White Snake-root	25	10 White Meadow Sweet	38	8 White Plantain Lily
13	12 Yellow Globe Flowers	26	12 Blue Plumbago		

ts to fill the above beds see page 10

### PRICE OF PLANTS REQUIRED TO PLANT BORDERS, PLANS OF WHICH ARE SHOWN ON THE PRECEDING PAGES

**BORDER No. 1, illustrated on pages 8 and 9**

Planned for both sides of a path 100 feet long.

For a sunny position requires 536 plants, which we will supply for.....	\$50.00
.. " shady " " 539 " " " " " " .....	50.00

**BORDER No. 2, illustrated on pages 8 and 9**

An irregular screen 100 feet long against boundary lines, etc.

For a sunny position requires 465 plants, which we will supply for.....	\$40.00
" " shady " " 414 " " " " " "	40.00

**BORDER No. 3, illustrated on pages 8 and 9**

Of regular outline, 100 feet long by 6 feet wide.

For a sunny position requires	271 plants, which we will supply for.....	\$25.00
" " shady " "	295 " " " " " " .....	25.00

It is possible that some of our customers may wish to plant a hardy border, part of which is in the shade and part in the sun. In such cases the sections which are shady should be filled with plants recommended for such locations, and if customers, in ordering, will state which sections are in shade, we will send the proper plants for same. Unless otherwise specified we will fill all orders with the plants suitable for sunny borders.

The prices at which we offer the above stock are considerably below the regular rates, as in anticipation of a large demand for these collections we have prepared an extensive stock of the various varieties. We make no charge for packing, which will be done in the most scientific manner, nor for delivery to any express or transportation line in Philadelphia, but the cost for expressage must be paid by the purchaser.

With each order we will include a blue print of the border wanted, drawn to scale, and a carefully prepared planting-plan, which will enable the most inexperienced amateur to set the various plants in their proper positions.

In preparing your border, see that it is deeply dug and fertilized, as suggested in the cultural notes on page 1. Have your beds ready in advance of the receipt of the plants, so that they may be planted promptly on their arrival. After you have prepared your border in accordance with the instructions given on page 1 level the surface neatly with a rake, and then mark out the different sections. A cane is as convenient a tool for this purpose as can be used. Place the plants in position in their various sections. Then plant and cultivate as recommended in the cultural notes in the opening pages of this book.

## DREER SPECIALTIES

The Hardy Perennial Plants offered in this book are but one of our many specialties.

We offer in our Garden Book or General Catalogue what is undoubtedly the most complete line of Seeds, Plants and Bulbs ever offered, including

**VEGETABLE SEEDS** in all the best varieties.

**GRASS AND FIELD SEEDS** of the finest qualities.

**FLOWER SEEDS** in immense variety, of which the following are of special interest:

**Antirrhinum or Snapdragons**, now so popular for bedding and cutting in both the Giant and Half-dwarf sorts.

**Asters.** Dreer's Famous American and Imported varieties.

**Cardinal Climber.** The finest of all annual climbers.

**Nasturtiums.** both tall and dwarf, plain, Ivy-leaved, Geranium-leaved and Variegated-leaved sorts.

**Pansies** from world renowned growers.

**Petunias.** Our unexcelled strain of single and double fringed.

**Stocks.** Of the highest quality obtainable.

**Sweet Peas.** The very best of both the Orchid-flowered and regular Standard kinds.

**GARDEN AND GREENHOUSE PLANTS.** A very extensive collection, embracing plants suitable for the Greenhouse or Conservatory, Window Garden, Room decoration and for planting out for summer blooming, including

**Begonias.** The finest strain of Tuberous-rooted sorts.

**Cannas.** The cream of the new and old varieties.

**Dahlias.** A re-selected list of the best of the various types. Those who are particularly interested should send for our Special Dahlia Catalogue, in which we offer and describe nearly 500 varieties.

**Ferns.** The finest collection in this country.

**Gladiolus.** A list made up of high-grade sorts only.

**Palms.** We have over 3 acres of greenhouse space devoted exclusively to Palms.

**ROSES FOR THE GARDEN.** We specialize in strong two-year-old plants that will give immediate results, and our list embraces many of the latest novelties, that can only be procured from us, as well as the finest standard sorts of all types.

**HARDY SHRUBS.** We are extensive growers of these, and our stock is all in strong, healthy, vigorous plants of proper age to transplant.

**HARDY VINES AND CLIMBERS.** We fill five pages of our Garden Book with our offerings of these plants.

**SELECT SMALL FRUITS.** We offer a short but very select list of Blackberries, Currants, Gooseberries, Grapes, Strawberries, etc.

**WATER LILIES AND AQUATICS.** We are the largest growers of these in this country, and our list of *Nelumbiums*, *Nymphaeas*, Aquarium Plants and miscellaneous aquatics is most complete.



The Celebrated Horikiri Iris Flower Garden, Tokio, Japan.

	Color.	Height Inches.	Time of Flowering.	Location.	Price. Each.	Doz.
<b>Iris Germanica—Continued.</b>						
<i>Pallida Dalmatica</i> .....	lavender-blue	48	May	sunny	.25	2.50
" <i>folia variegata</i> .....	pale lavender	24	May	sunny	.50	5.00
" <i>Mandraliscae</i> .....	purple-lavender	30	May	sunny	.25	2.50
" <i>speciosa</i> .....	deep-lavender	48	May	sunny	.25	2.50
<i>Plicata</i> .....	violet-purple	24-30	May	sunny	.15	1.50
<i>Plumeri</i> .....	rosy-mauve	24-30	May	sunny	.15	1.50
<i>Princess Victoria Louise</i> .....	yellow and plum	24-30	May	sunny	.50	5.00
<i>Rhein Nixe</i> .....	violet and white	30-36	May	sunny	.50	5.00
<i>Shakespeare</i> .....	yellow and violet	24-30	May	sunny	.15	1.50
<i>Spectabilis</i> .....	violet-purple	24	April-May	sunny	.15	1.50
<b>Iris Interregna</b>						
<i>Helge</i> .....	light-citron	18	April-May	sunny	.30	3.00
<i>Ingeborg</i> .....	white	18	April-May	sunny	.30	3.00
<i>Walhalla</i> .....	reddish-purple	18	April-May	sunny	.30	3.00
<b>Iris Kämpferi (Japanese Iris)</b>						
<i>Yomo-no-umi</i> .....	white	36-48	June	sunny	.25	2.50
<i>Koki-no-iro</i> .....	royal-purple	36-48	June	sunny	.25	2.50
<i>Oniga-shima</i> .....	royal-purple	36-48	June	sunny	.25	2.50
<i>Shiga-no-ura-nami</i> .....	violet-purple	36-48	June	sunny	.25	2.50
<i>Hano-no-nishiki</i> .....	violet-purple	36-48	June	sunny	.25	2.50
<i>Shippo</i> .....	light-lilac	36-48	June	sunny	.25	2.50
<i>Shishi-ikari</i> .....	lilac	36-48	June	sunny	.25	2.50
<i>Meiran</i> .....	lilac and white	36-48	June	sunny	.25	2.50
<i>Sano-watashi</i> .....	white	36-48	June	sunny	.25	2.50
<i>Yedo-kagami</i> .....	mauve, white veins	36-48	June	sunny	.25	2.50
<i>Gosetsu-mai</i> .....	mauve, white veins	36-48	June	sunny	.25	2.50
<i>Senjo-no-hora</i> .....	mottled purple & white	36-48	June	sunny	.25	2.50
<i>Uchin</i> .....	reddish-purple	36-48	June	sunny	.25	2.50
<i>Tsurugi-no-mai</i> .....	rich purple	36-48	June	sunny	.25	2.50
<i>Rish-no-tomi</i> .....	white veined blue	36-48	June	sunny	.25	2.50
<i>Kakujakuro</i> .....	white dusted blue	36-48	June	sunny	.25	2.50
<i>Shi-un-ryo</i> .....	white veined violet	36-48	June	sunny	.25	2.50
<i>Yoshimo</i> .....	white veined violet	36-48	June	sunny	.25	2.50
<i>Renjo-no-toma</i> .....	violet veined white	36-48	June	sunny	.25	2.50
<i>Samidare</i> .....	ultramarine blue	36-48	June	sunny	.25	2.50
<i>Schuchiukwa</i> .....	reddish-purple	36-48	June	sunny	.25	2.50
<i>Kagaribe</i> .....	white traced blue	36-48	June	sunny	.25	2.50
<i>Misutmoshito</i> .....	purple marbled white	36-48	June	sunny	.25	2.50
<i>Kigan-no-misao</i> .....	pure white	36-48	June	sunny	.25	2.50
<i>Waku-hotai</i> .....	white veined purple	36-48	June	sunny	.25	2.50
<i>Shirataki</i> .....	white suffused violet	36-48	June	sunny	.25	2.50
<i>Renkaku</i> .....	white spotted blue	36-48	June	sunny	.25	2.50
<i>Yayaura</i> .....	white marbled blue	36-48	June	sunny	.25	2.50
<i>Ari-ake</i> .....	purple marbled white	36-48	June	sunny	.25	2.50
<i>Ojochin</i> .....	violet-purple	36-48	June	sunny	.25	2.50
<i>Sei-o-bo</i> .....	pure white	36-48	June	sunny	.25	2.50
<i>Komochi-guma</i> .....	pansy-violet	36-48	June	sunny	.25	2.50
<i>Tebotan</i> .....	white veined blue	36-48	June	sunny	.25	2.50
<i>Shiro-fungen</i> .....	white blue-tinted	36-48	June	sunny	.25	2.50
<i>Yomo-zakuru</i> .....	lilac veined purple	36-48	June	sunny	.25	2.50
<i>Shi-no-maki</i> .....	royal purple	36-48	June	sunny	.25	2.50
<i>Sakata</i> .....	lavender-blue	36-48	June	sunny	.25	2.50
<i>Tokyo</i> .....	pure white	36-48	June	sunny	.25	2.50
<i>Shimosa</i> .....	white spotted purple	36-48	June	sunny	.25	2.50
<i>Hosokawa</i> .....	rich purple	36-48	June	sunny	.25	2.50
<i>Choice mixed varieties</i> .....	all colors	36-48	June	sunny	.15	1.50
<b>Iris Pumila Hybrida</b>						
<i>Cyanea</i> .....	royal purple	10-12	April	sunny	.20	2.00
<i>Excelsa</i> .....	pale lemon	10-12	April	sunny	.20	2.00
<i>Schneekuppe</i> .....	pure white	10-12	April	sunny	.20	2.00
<b>Iris, Various Species</b>						
<i>Cristata</i> .....	rich blue	3	May	sunny	.15	1.50
<i>Ochroleuca gigantea</i> .....	pale yellow	48	May-June	sunny	.35	3.50
" <i>aurea</i> .....	golden-yellow	48	May-June	sunny	.35	3.50
<i>Pseudacorus</i> .....	yellow	48	May-June	sunny	.15	1.50
<i>Sibirica</i> .....	purple	36	June	sunny	.15	1.50
" <i>alba</i> .....	white veined lilac	36	June	sunny	.15	1.50
" <i>Orientalis</i> .....	violet-blue	42	June	sunny	.15	1.50
" <i>Snow Queen</i> .....	ivory-white	42	June	sunny	.15	1.50
<i>Spuria Mrs. A. W. Tait</i> .....	porcelain-blue	48	June	sunny	.50	5.00

	Color.	Height Inches.	Time of Flowering.	Location.	Price, Each.	Doz.
<i>Lavandula</i> (Lavender)						
Vera	blue	18	July	sunny	.15	1.50
<i>Ilatris</i> (Blazing Star, or Gay Feather)						
<i>Pycnostachya</i>	rosy-purple	60	July-Aug	sunny	.15	1.50
<i>Scariosa</i>	purple	36-48	July-Aug	sunny	.15	1.50
<i>Lilium</i> (Lily)						
Auratum	white and gold	24-48	July-Aug	partial shade	.25	2.00
<i>Speciosum album</i>	white	24-48	Aug-Sept	sunny	.25	2.00
" <i>roseum, or rubrum</i>	white spotted crimson	24-48	Aug-Sept	sunny	.20	1.50
" <i>magnificum</i>	deep-red	24-48	Aug-Sept	sunny	.20	1.50
<i>Tigrinum splendens</i>	orange	36-48	July-Aug	sunny	.10	1.00
<i>Linum</i> (Flax)						
Perenne	blue	18	June-Sept	sunny	.15	1.50
" <i>alba</i>	white	18	June-Sept	sunny	.15	1.50
<i>Lithospermum</i> (Gromwell)						
<i>Prostratum</i>	blue	trailing	April-Sept	sunny	.25	2.50
" <i>Heavenly Blue</i>	turquoise-blue	trailing	April-Sept	sunny	.50	5.00
<i>Lobelia</i>						
Cardinalis	cardinal-red	24-30	Aug-Sept	sunny	.15	1.50
<i>Syphilitica hybrida</i>	blue and white	24-36	July-Sept	sunny	.15	1.50
<i>Lupinus</i> (Lupine)						
<i>Polyphyllus</i>	blue	24-48	May-June	sunny	.25	2.50
" <i>albus</i>	white	24-48	May-June	sunny	.25	2.50
" <i>Moerheimi</i>	pink	24-36	May-June	sunny	.35	3.50
<i>Lychnis</i> (Campion)						
<i>Chalcedonica</i>	orange-scarlet	24-36	June-July	sunny	.15	1.50
" <i>fl. pl.</i>	vermillion-scarlet	24-36	June-July	sunny	.25	2.50
<i>Haageana</i>	orange-scarlet	12	June-July	sunny	.15	1.50
<i>Semperflorens plenissima</i>	rose	12	June-Sept	sunny	.15	1.50
<i>Vespertina alba plena</i>	white	18	June-Sept	sunny	.25	2.50
<i>Viscaria fl. pl.</i>	red	12	June	sunny	.15	1.50
<i>Lysimachia</i> (Loose-strife)						
<i>Ciliata</i>	yellow	24	July	sun or shade	.15	1.50
<i>Clethroides</i>	white	24	July-Aug	sun or shade	.15	1.50
<i>Nummularia</i>	yellow	trailing	May-June	sun or shade	.10	1.00
" <i>aurea</i>	yellow	trailing	May-June	shade	.15	1.50
<i>Lythrum</i> (Rose Loose-strife)						
<i>Roseum superbum</i>	rose	36-48	July-Sept	sun or partial shade	.15	1.50
" <i>Perry's variety</i>	cherry-red	36-48	July-Sept	sun or partial shade	.35	3.50
<i>Matricaria</i> (Feverfew)						
Little Gem	white	18-24	July-Oct	sunny	.15	1.50
<i>Mertensia</i> (Blue Bells)						
Virginica	blue	12-18	May-June	partial shade	.15	1.50
<i>Monarda</i> (Bergamot)						
<i>Didyma Cambridge Scarlet</i>	crimson-scarlet	24-36	June-Aug	sunny	.15	1.50
" <i>rosea</i>	rose	24-36	June-Aug	sunny	.15	1.50
" <i>violacea</i>	amaranth-red	24-36	June-Aug	sunny	.15	1.50
<i>Pistulosa alba</i>	white	24-36	July-Aug	sunny	.15	1.50
<i>Montbretia</i>						
<i>Aurantiaca</i>	deep-orange	24-30	July-Sept	sunny	.05	.30
<i>Crocsmiaeflora</i>	golden-orange	24-30	July-Sept	sunny	.05	.30
<i>Etoile de Feu</i>	vermillion	24-30	July-Sept	sunny	.05	.30
<i>Germania</i>	orange-scarlet	24-30	July-Sept	sunny	.05	.30
<i>Rayon d'Or</i>	yellow and brown	24-30	July-Sept	sunny	.05	.30
<i>Speciosa</i>	golden-yellow	24-30	July-Sept	sunny	.05	.30
<i>Myosotis</i> (Forget-me-not)						
<i>Alpestris robusta grandiflora</i>	sky-blue	8-10	April-May	sunny	.10	1.00
<i>Palustris semperflorens</i>	sky-blue	8-10	April-Oct	partial shade	.10	1.00
<i>Nierembergia</i> (Cup Flower)						
<i>Rivularis</i>	white	trailing	June-Sept	sunny	.15	1.50
<i>Oenothera</i> (Evening Primrose)						
Eldorado	golden-yellow	18	June-Aug	sunny	.15	1.50
<i>Fruticosa pallida</i>	creamy-white	18	June-Aug	sunny	.15	1.50
<i>Missouriensis</i>	yellow	12	June-Sept	sunny	.15	1.50
<i>Speciosa</i>	pure white	18	Aug-Sept	sunny	.15	1.50
" <i>hybrida</i>	rose	18	Aug-Sept	sunny	.15	1.50
Youngii	bright-yellow	18	June-Aug	sunny	.15	1.50
<i>Orobis</i> (Bitter Vetch)						
<i>Lathyroides</i>	bright-blue	12	May-June	sunny	.25	2.50
<i>Pachysandra</i>						
<i>Terminalis</i>	white	6-8	May-June	sun or shade	.15	1.50
<i>Paeonia Sinensis</i> (Double Herbaceous Paeonies)						
Agnes Marie Kelway	rose white centre	30-36	May-June	sun or partial shade	.25	2.50
Andre Lauries	Tyrian-rose	30-36	June	sun or partial shade	.25	2.50
Arthemise	violet-rose	30-36	May	sun or partial shade	.25	2.50
Asa Gray	bright-lilac	30-36	May	sun or partial shade	.50	5.00
Augustin d'Hour	scarlet-purple	30-36	June	sun or partial shade	.25	2.50
Canary	white	30-36	May	sun or partial shade	.25	2.50
Charlemagne	rose tinted white	30-36	June	sun or partial shade	.50	5.00
<i>Chrysantheflora rosea</i>	rose-pink	36-42	May	sun or partial shade	.25	2.50
<i>Couronne d'Or</i>	white	36-42	June	sun or partial shade	.50	5.00
Dr. Caillot	Tyrian-rose	30-36	June	sun or partial shade	.50	5.00
Duc de Cazes	Tyrian-rose	36-42	May	sun or partial shade	.25	2.50
Duchesse de Nemours	sulphur-white	24-30	May	sun or partial shade	.25	2.50
Duke of Wellington	sulphur-white	36-42	May	sun or partial shade	.50	5.00
Edulis Superba	mauve-rose	36-42	May	sun or partial shade	.25	2.50
Edouard Andre	dark-carmine	24	May	sun or partial shade	.25	2.50
Eugene Verdier	delicate-flesh	36-42	June	sun or partial shade	.50	5.00
Felix Crousse	brilliant-red	36-42	June	sun or partial shade	.50	5.00
Festiva Maxima	fine-white	18	May	sun or partial shade	.50	5.00
Lady Bramwell	silvery-rose	24-30	May	sun or partial shade	.25	2.50
L'Eclatante	brilliant-red	24-30	June	sun or partial shade	.25	2.50
L'Indispensable	delicate-pink	36-42	June	sun or partial shade	.50	5.00
Livingstone	silvery-rose	36-42	June	sun or partial shade	.75	7.50
Louis van Houtte	crimson-maroon	30-36	May	sun or partial shade	.25	2.50
Marie Jacquin	white	24-30	May	sun or partial shade	.25	2.50
Marie Lemoine	ivory-white	36-42	June	sun or partial shade	.75	7.50
Meissonier	purple-red	36-42	June	sun or partial shade	.25	2.50
Mme. Boulanger	white tinted lilac	30-36	June	sun or partial shade	.75	7.50
Mme. Calot	hydrangea-pink	36-42	May	sun or partial shade	.50	5.00
Mme. de Verneville	fine-white	30-36	June	sun or partial shade	.50	5.00
Mme. Ducl	silvery-pink	30-36	May	sun or partial shade	.75	7.50
Paganini	solferino-red	24-30	May	sun or partial shade	.25	2.50
Princess Galitzin	soft lilac-rose	24-30	May	sun or partial shade	.25	2.50
Queen Victoria	white	24-30	May	sun or partial shade	.25	2.50
Reine des Roses	violet-rose	36-42	June	sun or partial shade	.25	2.50
Victoire Modeste	lovely violet-rose	36-42	May	sun or partial shade	.25	2.50



Double Herbaceous Pæony.



Papaver Nudicaule (Iceland Poppies).

## Pæonias—Continued.

## Pæonia Officinalis (Early Flowering)

	Color.	Height Inches.	Time of Flowering.	Location.	Price. Each.	Doz.
Officinalis (Mutabilis) alba .....	blush-white	24	May	sun or partial shade	.30	3.00
" " rosea .....	rose-pink	24	May	sun or partial shade	.30	3.00
" rubra .....	deep crimson	24	May	sun or partial shade	.30	3.00
Tenuifolia fl. pl. ....	rich crimson	24	May	sun or partial shade	.25	2.50
Moutan (Tree Pæony)						
" De Bugny .....	white and rose	36-48	May	sun or partial shade	1.00	10.00
" La Ville de St. Denis .....	white tinted lilac	36-48	May	sun or partial shade	1.00	10.00
" Louise Mouchelet .....	silvery-salmon	36-48	May	sun or partial shade	1.00	10.00
" Maxima Plena .....	white shaded red	36-48	May	sun or partial shade	1.00	10.00
" Souvenir de Ducher .....	violet-red	36-48	May	sun or partial shade	1.00	10.00
" Souvenir d'Etienne Mechin .....	rose-color	36-48	May	sun or partial shade	1.00	10.00

## Papaver (Poppy)

	Color.	Height Inches.	Time of Flowering.	Location.	Price. Each.	Doz.
Nudicaule .....	all colors	9-15	April-Sept	sunny	.15	1.50
Oriental						
" Goliath .....	fiery-scarlet	36-42	May-June	sunny	.25	2.50
" Princess Victoria Louise .....	salmon-pink	36-42	May-June	sunny	.25	2.50
" Mahony .....	crimson-maroon	36-42	May-June	sunny	.25	2.50
" Mrs. Perry .....	salmon-rose	36-42	May-June	sunny	.25	2.50
" Trilby .....	brilliant-red	36-42	May-June	sunny	.25	2.50
" mixed varieties .....	various colors	36-42	May-June	sunny	.15	1.50

## Pardanthus (Blackberry Lily)

	Color.	Height Inches.	Time of Flowering.	Location.	Price. Each.	Doz.
Sinensis .....	orange	30	July-Aug	sunny	.15	1.50

## Pentstemon (Beard Tongue)

	Color.	Height Inches.	Time of Flowering.	Location.	Price. Each.	Doz.
Barbatus Torreyi .....	scarlet	36-48	June-Aug	sunny	.15	1.50
Digitalis .....	white	24-36	June-July	sunny	.15	1.50
Gloxinioides Sensation .....	various colors	24	July-Oct	sunny	.15	1.50
Heterophyllus .....	azure-blue	24	July-Aug	sunny	.15	1.50
Oratus .....	bright-blue	24	July-Sept	sunny	.15	1.50
Pubescens .....	rosy-purple	18	July-Aug	sunny	.15	1.50


## Phlox Suffruticosa (Early-flowering Hardy Phloxes)

	Color.	Height Inches.	Time of Flowering.	Location.	Price. Each.	Doz.
Hercules .....	bright rosy-lilac	30	June-Oct	sunny	.20	2.00
Miss Lingard .....	fine white	36	June-Oct	sunny	.20	2.00
Mrs. Dalrymple .....	white, suffused rose	36	June-Oct	sunny	.20	2.00
Ninon .....	deep rosy-lilac	24	June-Oct	sunny	.20	2.00

## Phlox, Various Hardy Species

	Color.	Height Inches.	Time of Flowering.	Location.	Price. Each.	Doz.
Amoena .....	bright pink	4	April-May	sunny	.10	1.00
Arendsi						
" Amanda .....	delicate lilac	12	May-Oct	sunny	.50	5.00
" Charlotte .....	lilac shaded pink	18-24	May-Oct	sunny	.50	5.00
" Grete .....	white	18-20	May-Oct	sunny	.50	5.00
" Helene .....	lavender-blue	15-18	May-Oct	sunny	.50	5.00
" Kathie .....	purplish-rose	18-20	May-Oct	sunny	.50	5.00
" Louise .....	lilac, carmine eye	24	May-Oct	sunny	.50	5.00
Divaricata Canadensis						
" alba grandiflora .....	lavender	10-12	April-May	sunny	.15	1.50
" " .....	white	10-12	April-May	sunny	.25	2.50
" Laphami Perry's variety .....	deep lavender	10-12	April-May	sunny	.25	2.50
Ovata Carolina .....	reddish-pink	12	May-June	sunny	.15	1.50
Pilosa splendens .....	rosy-carmine	12-15	May-June	sunny	.35	3.50
Subulata (Moss or Mountain Pink) alba						
" " .....	white	4-6	April-May	sunny	.10	1.00
" atropurpurea .....	purplish-rose	4-6	April-May	sunny	.10	1.00
" lilacina .....	light lilac	4-6	April-May	sunny	.10	1.00
" Nelsoni .....	white	3-4	April-May	sunny	.10	1.00
" rosea .....	rose	4-6	April-May	sunny	.10	1.00

	Color.	Height Inches.	Time of Flowering.	Location.	Price. Each.	Doz.
<b>Phlox Decussata (Hardy Phlox)</b>						
Albion	white, red eye	18-24	July-Oct	sunny	.15	1.50
Antonin Mercie	suffused lilac & white	24-30	July-Oct	sunny	.20	2.00
Asia	delicate mauve	30-36	July-Oct	sunny	.30	3.00
Bacchante	Tyrian-rose	30-36	July-Oct	sunny	.15	1.50
Baron van Dedem	cochineal-red	18-24	July-Oct	sunny	.15	1.50
B. Comte	rich French purple	30-36	July-Oct	sunny	.20	2.00
Beranger	white suffused rose	18-24	July-Oct	sunny	.15	1.50
Braga	mauve-rose	18-24	July-Oct	sunny	.15	1.50
Bridesmaid	white, crimson eye	30-36	July-Oct	sunny	.20	2.00
Caran d'Ache	geranium-red	24-30	July-Oct	sunny	.15	1.50
Colibri	white, crimson centre	30-36	July-Oct	sunny	.15	1.50
Champs Elysee	bright rosy magenta	18-24	July-Oct	sunny	.15	1.50
Coquelicot	pure scarlet	24-30	July-Oct	sunny	.15	1.50
Danton	scarlet, red eye	24-30	July-Oct	sunny	.15	1.50
De Miribel	white suffused scarlet	24-30	July-Oct	sunny	.15	1.50
Diadem	pure white	12-15	July-Oct	sunny	.15	1.50
Dr. Konigshofer	orange-scarlet	30-36	July-Oct	sunny	.15	1.50
Eclairer	rich rosy magenta	24-30	July-Oct	sunny	.15	1.50
Elizabeth Campbell	salmon-pink	18-24	July-Oct	sunny	.30	3.00
Eugene Danzenviller	lilac shaded white	30-36	July-Oct	sunny	.15	1.50
Europa	white, crimson eye	30-36	July-Oct	sunny	.30	3.00
Frau Anton Buchner	white	18-24	July-Oct	sunny	.30	3.00
Frau Dora Umgeller	deep rosy red	36-42	July-Oct	sunny	.15	1.50
Geflon	peach-blossom pink	18-24	July-Oct	sunny	.50	5.00
General Giovaninelli	Tyrian-rose	18-24	July-Oct	sunny	.15	1.50
George A. Stroblein	bright scarlet	18-24	July-Oct	sunny	.20	2.00
Goliath	crimson-carmine	36-42	July-Oct	sunny	.15	1.50
Henry Marcel	pure red	18-24	July-Oct	sunny	.15	1.50
Henry Murger	white, crimson centre	36-42	July-Oct	sunny	.20	2.00
Henry Royer	Tyrian-rose	18-24	July-Oct	sunny	.15	1.50
Hermine	white	10-12	July-Oct	sunny	.15	1.50
Hervor	pink, white eye	18-24	July-Oct	sunny	.15	1.50
H. O. Wijers	white, crimson eye	24-30	July-Oct	sunny	.15	1.50
Jeanne d'Arc	pure white	36-42	July-Oct	sunny	.15	1.50
La Vague	mauve, red eye	18-24	July-Oct	sunny	.15	1.50
Le Mahdi	reddish-violet	24-30	July-Oct	sunny	.20	2.00
Le Prophete	bright violet-rose	18-24	July-Oct	sunny	.15	1.50
Louise Abbema	pure white	15-18	July-Oct	sunny	.15	1.50
Manzelbrunnen	pink, white eye	24-30	July-Oct	sunny	.30	3.00
Mme. Paul Dutrie	delicate lilac rose	30-36	July-Oct	sunny	.20	2.00
Mrs. Jenkins	fine, pure white	30-36	July-Oct	sunny	.20	2.00
Obergartner Wittig	bright magenta	24-30	July-Oct	sunny	.15	1.50
Pacha	deep pink	18-24	July-Oct	sunny	.15	1.50
Pantheon	carmine-rose	30-36	July-Oct	sunny	.20	2.00
Pierre Bayle	crimson-carmine	18-24	July-Oct	sunny	.15	1.50
Professor Virchow	bright carmine	24-30	July-Oct	sunny	.15	1.50
Rheinlander	salmon pink	24-30	July-Oct	sunny	.50	5.00
Rosenberg	reddish-violet	18-24	July-Oct	sunny	.15	1.50
R. P. Struthers	rosy-carmine	36-42	July-Oct	sunny	.20	2.00
Rynstrom	bright carmine-rose	30-36	July-Oct	sunny	.30	3.00
Selma	soft, pale rose	30-36	July-Oct	sunny	.20	2.00
Siebold	pure scarlet	30-36	July-Oct	sunny	.20	2.00
Sunshine	aniline-red	18-24	July-Oct	sunny	.15	1.50
Tragedie	deep carmine	24-30	July-Oct	sunny	.30	3.00
Vesuvius	pure red	18-24	July-Oct	sunny	.15	1.50
Von Goethe	Tyrian-rose	24-30	July-Oct	sunny	.15	1.50
Von Hochberg	crimson-purple	30-36	July-Oct	sunny	.15	1.50
Von Lassburg	fine white	24-30	July-Oct	sunny	.15	1.50
Wanadis	mottled white & violet	30-36	July-Oct	sunny	.50	5.00
W. C. Egan	delicate lilac	24-30	July-Oct	sunny	.50	5.00
Widar	reddish-violet, white centre	24-30	July-Oct	sunny	.30	3.00
<b>Physalis (Chinese Lantern Plant)</b>						
Francheti	orange-red fruit	18-24	July-Oct	sunny	.15	1.50
<b>Physostegia (False Dragon's Head)</b>						
Virginia	soft pink	60-72	July-Sept	sunny	.15	1.50
" alba	white	48-60	July-Sept	sunny	.15	1.50
" speciosa	delicate pink	60-72	July-Sept	sunny	.15	1.50
<b>Platyodon (Balloon Flower or Japanese Bell-flower)</b>						
Grandiflorum	deep blue	24-30	July-Sept	sunny	.15	1.50
" album	white	24-30	July-Sept	sunny	.15	1.50
<b>Plumbago (Leadwort)</b>						
Larpenae	deep blue	6-8	Aug-Sept	sunny	.15	1.50
<b>Polemonium (Jacob's Ladder)</b>						
Richardsoni	sky-blue	12	June-July	partial shade	.15	1.50
" alba	white	12	June-July	partial shade	.15	1.50
<b>Polygonatum (Solomon's Seal)</b>						
Giganteum	creamy-white	36	May-June	shade	.15	1.50
<b>Polygonum (Knot-weed)</b>						
Brunonis	bright rose	12	July-Sept	sunny	.15	1.50
Compactum	white	15	Aug-Sept	sunny	.15	1.50
Cuspidatum	white	36-60	Aug-Sept	sunny	.15	1.50
<b>Potentilla (Cinquefoil)</b>						
Miss Willmott	cerise-pink	12-15	June-Aug	sunny	.25	2.50
Vulean	rich crimson	18-24	July-Aug	sunny	.25	2.50
William Rollison	vermillion	18-24	July-Aug	sunny	.25	2.50
<b>Primula (Primrose)</b>						
Acaulis alba-plena	white	6-8	April	partial shade	.25	2.50
" corulea	purplish-blue	6-8	April	partial shade	.25	2.50
" Croussei plena	purplish-red	6-8	April	partial shade	.25	2.50
Cortusoides Sieboldii	various colors	6	April	partial shade	.25	2.00
Veris	yellow	6	April	partial shade	.15	1.00
" superba	yellow	10-12	April	partial shade	.20	2.00
Vulgaris	yellow	6-8	April	partial shade	.15	1.50
<b>Prunella</b>						
Grandiflora	purple	6	July-Sept	shady	.25	2.50
Incaisa	rosy-purple	6	July-Aug	shady	.25	2.50
<b>Pulmonaria (Lungwort, Bethlehem Sage)</b>						
Angustifolia azurea	gentian-blue	6-12	April-May	partial shade	.30	3.00
Saccharata maculata	blue	6-12	May-June	partial shade	.25	2.50



Phlox Decussata.



Pyrethrum Hybridum Single.

		Color.	Height Inches.	Time of Flowering.	Location.	Price.	
						Each.	Doz.
Pyrethrum							
Hybridum	single mixed	all colors	18-24	June-July	sunny	.15	1.50
"	fl. pl. Aphrodite	pure white	18-24	June-July	sunny	.35	3.50
"	" " King Oscar	crimson-scarlet	18-24	June-July	sunny	.35	3.50
"	" " La Vestale	white tinted lilac	18-24	June-July	sunny	.35	3.50
"	" " Lord Rosebery	carmine-scarlet	18-24	June-July	sunny	.35	3.50
"	" " Meteor	crimson-scarlet	18-24	June-July	sunny	.35	3.50
"	" " Mme. Munier	delicate flesh	18-24	June-July	sunny	.35	3.50
"	" " Mont Blanc	pure white	18-24	June-July	sunny	.35	3.50
"	" " Ne-plus-ultra	pale flesh	18-24	June-July	sunny	.35	3.50
"	" " Yvonne Cayeux	white, yellow centre	18-24	June-July	sunny	.35	3.50
Uliginosum		white	36-60	Aug-Sept	sunny	.15	1.50
"	stellata	white	36-60	Aug-Sept	sunny	.25	2.50
Ranunculus (Crow-foot, Buttercup)							
Aconitifolius fl. pl.		pure white	24	May-June	sunny	.15	1.50
Acris fl. pl.		golden-yellow	24	May-June	sunny	.15	1.50
Gramineus		bright yellow	6-8	April-May	sunny	.15	1.50
Rhexia (Meadow Beauty)							
Virginica		rosy-purple	9	June-Sept	sunny	.15	1.50
Romneya (California Tree or Matilija Poppy)							
Coulteri		transparent white	36-60	June-Aug	sunny	.75	7.50
Rosmarinus (Rosemary)							
Officinalis		purple	24-36	June-July	sunny	.15	1.50
Rudbeckia (Cone-flower)							
Laciniata fl. pl. "Golden Glow"		golden-yellow	60-72	July-Sept	sunny	.15	1.50
Maxima		bright yellow	48-60	July-Sept	sunny	.25	2.50
Newmanii		orange-yellow	36	July-Sept	sunny	.15	1.50
Nitida "Autumn Sun"		primrose-yellow	60-72	Aug-Oct	sunny	.15	1.50
Purpurea		reddish-purple	36	July-Oct	sunny	.15	1.50
Sub-tomentosa		lemon-yellow	30	Aug-Oct	sunny	.15	1.50
Salvia (Meadow Sage)							
Azurea		sky-blue	36-48	Aug-Sept	sunny	.25	2.50
Pitcheri		bright blue	36-48	Aug-Sept	sunny	.25	2.50
Virgata Nemorosa		dark blue	18	July-Aug	sunny	.35	3.50
Santolina (Lavender Cotton)							
Chamaecyparissus incana		or. foliage	12	.....	sunny	.10	1.00
Saponaria (Soapwort)							
Caucasica		white, tinted rose	15	June-Sept	sunny	.15	1.50
Ocymoides		bright rose	6-9	May-Aug	sunny	.15	1.50
Satureia (Winter Savory)							
Montana		white	12	Aug-Sept	sunny	.25	2.50
Saxifraga							
Cordifolia		light pink	10-12	April-May	partial shade	.25	2.50
"	Brilliant	crimson-purple	10-12	April-May	partial shade	.25	2.50
"	orbiculare	deep rose	10-12	April-May	partial shade	.25	2.50
"	purpurea	deep purple	10-12	April-May	partial shade	.25	2.50
"	speciosa	rosy-crimson	10-12	April-May	partial shade	.25	2.50
"	splendens	rose	10-12	April-May	partial shade	.25	2.50
Pyramidalis		white	24	May-June	partial shade	.35	3.50
Sarmentosa		variegated foliage	6-8	May-June	shady	.15	1.50
Umbrosa		white	12	May-June	shady	.25	2.50
Scasosa							
Cauc.	(Blue Bonnet)	blue	15-18	June-Sept	sunny	.25	2.50
"	alba	white	15-18	June-Sept	sunny	.25	2.50
Japoni		lavender-blue	18-24	July-Sept	sunny	.25	2.50



Sedum Spectabilis "Brilliant."



Stokesia (Cornflower Aster).

	Color.	Height Inches.	Time of Flowering.	Location.	Price. Each.	Doz.
<b>Sedum (Stone-crop)</b>						
Acre	yellow	trailing	May-June	sun or partial shade	.15	1.50
Album	white	trailing	July-Aug	sun or partial shade	.15	1.50
Japonicum macrophyllum	waxy-white	15	Aug-Sept	sun or partial shade	.15	1.50
Lyodium glaucum	glaucous-foliage	trailing	.....	sun or partial shade	.15	1.50
Maximum atropurpureum	bronzy-rose	15	Sept-Oct	sunny	.15	1.50
Sexangulare	yellow	trailing	June-July	sunny	.15	1.50
Sieboldi	bright pink	6-9	Aug-Sept	sunny	.15	1.50
Spectabilis	rose	18	Aug-Sept	sunny	.15	1.50
" Brilliant	amaranth-red	18	Aug-Sept	sunny	.25	2.50
Spurium	pink	6	Aug-Sept	sunny	.15	1.50
" coccineum	crimson	6	Aug-Sept	sunny	.15	1.50
<b>Sempervivum (House Leek)</b>						
Arachnoideum Gnaphalium	foliage effect	compact tufts		sunny	.10	1.00
Brownii	foliage effect	compact tufts		sunny	.10	1.00
Glaucum	foliage effect	compact tufts		sunny	.10	1.00
Pyrenaicum	foliage effect	compact tufts		sunny	.10	1.00
Robustum	foliage effect	compact tufts		sunny	.10	1.00
Triste	foliage effect	compact tufts		sunny	.10	1.00
<b>Senecio (Groundsel)</b>						
Clivorum	yellow	36-60	Aug-Sept	sun or partial shade	.25	2.50
<b>Shortia</b>						
Galacifolia	white	3-6	May	shady	.25	2.50
<b>Silene (Catchfly)</b>						
Schafta		4-6	July-Oct	sunny	.15	1.50
<b>Sisyrinchium (Satin Lily or Blue-eyed Grass)</b>						
Bermudianum	blue	10	May-June	sun or partial shade	.15	1.50
<b>Solidago (Golden Rod)</b>						
Golden Wings	golden-yellow	48-60	July-Sept	sunny	.15	1.50
Shortia	golden-yellow	36	July-Aug	sunny	.15	1.50
Virgaurea nana	deep yellow	15	Aug-Sept	sunny	.15	1.50
<b>Spigelia (Carolina or Indian Pink)</b>						
Marilandica	brilliant red	12-15	June-Oct	shady	.35	3.50
<b>Spiraea (Goat's Beard, Meadow Sweet)</b>						
Aruncus	white	36-60	June-July	partial shade	.15	1.50
Chinensis	silvery-pink	24	June-July	partial shade	.25	2.50
Ellipendula fl. pl.	white	15	June-July	partial shade	.15	1.50
Gigantea or Kamtschatica	white	60-72	June-July	partial shade	.25	2.50
Palmaria	crimson-purple	36	June-July	partial shade	.15	1.50
" elegans	silvery-pink	36	June-July	partial shade	.15	1.50
Venusta	reddish	48-60	June	partial shade	.15	1.50
" magnifica	intense rosy-red	48-60	June-July	partial shade	.50	5.00
Ulmaria fl. pl.	white	36	June-July	partial shade	.15	1.50
<b>Stachys (Woundwort)</b>						
Betonica rosea	bright pink	12-15	June-July	sunny	.15	1.50
Lanata	silvery-foliage	12-15	June-July	sunny	.15	1.50
<b>Statice (Great Sea-lavender)</b>						
Latifolia	purplish-blue	18	June-Sept	sunny	.15	1.50
<b>Stenanthium (Mountain Feather Fleece)</b>						
Robustum	white	48-60	Aug-Sept	half shady	.50	5.00
<b>Stokesia (Cornflower Aster)</b>						
Cyanea	lavender-blue	18-24	June-Sept	sunny	.15	1.50
" alba	pure white	18-24	June-Sept	sunny	.15	1.50
<b>Symphytum (Comfrey)</b>						
Asperimur aureo variegatum	foliage plant	15-18	.....	partial shade	.25	2.50
<b>Thalictrum (Meadow Rue)</b>						
Adiantifolium	creamy-white	18-24	June-July	partial shade	.25	2.50
Aquilegifolium atropurpureum	rosy-purple	24-36	May-July	partial shade	.25	2.50
" album	white	24-36	May-July	partial shade	.25	2.50
Dipterocarpum	illac-mauve	36-60	Aug-Sept	partial shade	.75	7.50
Glaucum	bronzy-yellow	24	June-July	partial shade	.25	2.50
Orientalis	pure white	24	June-July	partial shade	.50	5.00
<b>Thermopsis</b>						
Fabacea	yellow	36	June-July	partial shade	.15	1.50

# DREER'S OLD-FASHIONED HARDY PLANTS



*Spiraea Palmata.*




*Thalictrum.*



*Veronica Longifolia Subsessilis.*

	Color.	Height Inches.	Time of Flowering.	Location.	Price.	
					Each.	Doz.
<b>Thymus (Thyme)</b>						
<i>Carnosus</i> .....	white	6-12	June-July	sunny	.15	1.50
<i>Citriodorus</i> .....	lilac	3	June-July	sunny	.15	1.50
<i>Lanuginosus</i> .....	lilac	trailing	June-July	sunny	.15	1.50
<i>Serpyllum</i> .....	white	trailing	June-July	sunny	.15	1.50
<i>coccineum</i> .....	scarlet	trailing	June-July	sunny	.15	1.50
<b>Tradescantia (Spider Wort)</b>						
<i>Virginica</i> .....	blue	18-30	May-Sept	sun or partial shade	.15	1.50
<i>alba</i> .....	white	18-30	May-Sept	sun or partial shade	.15	1.50
<i>fl. pl.</i> .....	purple	18-30	May-Sept	sun or partial shade	.15	1.50
<b>Tricyrtis (Japanese Toad Lily)</b>						
<i>Hirta</i> .....	white, spotted purple	18	Sept-Oct	partial shade	.25	2.50
<i>Macropoda striata</i> .....	variegated foliage	12	Sept-Oct	partial shade	.25	2.50
<b>Trillium (Wood Lily, or Wake Robin)</b>						
<i>Erectum</i> .....	purple	12	April	partial shade	.10	1.00
<i>Grandiflorum</i> .....	white	12-15	April	partial shade	.10	1.00
<b>Tritoma (Red-hot Poker, Flame Flower, or Torch Lily)</b>						
<i>Pfitzerii</i> .....	orange-scarlet	36-48	Aug-Oct	sunny	.25	2.50
<i>Quartiniana</i> .....	orange and yellow	36-48	May-June	sunny	.50	5.00
<i>Tricolor</i> .....	red, yellow and white	30	Aug-Oct	sunny	.25	2.50
<i>Uvaria grandiflora</i> .....	ochre-red and salmon	36-60	Sept-Oct	sunny	.15	1.50
<b>Trollius (Globe Flower)</b>						
<i>Caucasicus "Orange Globe"</i> .....	deep orange	18-24	May-July	partial shade	.25	2.50
<i>Europæus</i> .....	bright yellow	18-24	May-July	partial shade	.25	2.50
<i>Japanicus "Excelsior"</i> .....	dark orange	18-24	May-July	partial shade	.25	2.50
<i>Lichtball</i> .....	orange-yellow	18-24	May-July	partial shade	.25	2.50
<b>Tunica</b>						
<i>Saxifraga</i> .....	light pink	6-8	June-Aug	sunny	.25	2.50
<b>Valeriana (Spurred Flower)</b>						
<i>Coccinea</i> .....	rosy-red	24	June-Oct	sunny	.15	1.50
<i>alba</i> .....	white	24	June-Oct	sunny	.15	1.50
<i>Officinalis</i> .....	rose, tinted white	36-48	June-July	sunny	.15	1.50
<b>Veronica (Speedwell)</b>						
<i>Amethystina</i> .....	amethyst-blue	24	June-July	sunny	.15	1.50
<i>Incana</i> .....	bright blue	12	July-Aug	sunny	.15	1.50
<i>Longifolia sessilis</i> .....	deep blue	18-24	July-Aug	sunny	.25	2.50
<i>Pectinata</i> .....	deep blue	trailing	May	sun or shade	.15	1.50
<i>Repens</i> .....	light blue	trailing	May	sunny	.15	1.50
<i>Rosea</i> .....	bright rose	18	June-July	sunny	.15	1.50
<i>Rupestris</i> .....	bright blue	3-4	May-June	sunny	.15	1.50
<i>alba</i> .....	white	3-4	May-June	sunny	.15	1.50
<i>Spicata</i> .....	blue	18	June-July	sunny	.15	1.50
<i>alba</i> .....	white	18	June-July	sunny	.15	1.50
<b>Vinca (Periwinkle, or Trailing Myrtle)</b>						
<i>Minor</i> .....	blue	6-8	April-May	sun or shade	.10	1.00
<i>aurea variegata</i> .....	variegated foliage	4-6	April-May	sun or shade	.25	2.50
<i>argentea variegata</i> .....	variegated foliage	4-6	April-May	sun or shade	.25	2.50
<b>Viola (Tufted Pansy)</b>						
<i>Cornuta Admiration</i> .....	purple	5-8	April-Oct	sun or partial shade	.05	.50
<i>lutea splendens</i> .....	yellow	5-8	April-Oct	sun or partial shade	.05	.50
<i>Papilio</i> .....	blue	5-8	April-Oct	sun or partial shade	.05	.50
<i>purpurea, or G. Wernig</i> .....	blue	5-8	April-Oct	sun or partial shade	.20	2.00
<i>White Perfection</i> .....	white	5-8	April-Oct	sun or partial shade	.05	.50
<b>Violets, Hardy Varieties</b>						
<i>Double Russian</i> .....	deep purple	6	April-May	sun or shade	.10	1.00
<i>Blanda</i> .....	white	6	April	sun or shade	.10	1.00
<i>Pedata (Bird's Foot Violet)</i> .....	blue	3-4	May-June	sunny	.10	1.00
<i>bicolor</i> .....	purple and blue	3-4	May-June	sunny	.15	1.50
<b>Wallflowers, in choice mixture</b> .....	all colors	12-18	May	sunny	.15	1.50
<b>Yucca (Adam's Needle)</b>						
<i>Filamentosa</i> .....	white	60-72	June-July	sunny	.25	2.50

# DREER'S CELEBRATED LAWN GRASS SEEDS



OUR special brands of Lawn Grass Seed, offered below, are noted for their adaptability to various situations and soil conditions, and are now used in every section of the country. The lawns at the **Alaska-Yukon-Pacific Exposition**, held during the summer of 1909, were made with "Dreer Lawn Grass," and we were awarded a **Gold Medal** for same. Many other prizes have been awarded us for Grass Seeds, including a **Gold Medal** by the **Pan-American Exposition**, held at Buffalo, N. Y., in 1901; but what is most satisfactory to us is the fact that they always give satisfactory results to our customers wherever sown.

## THE "DREER" LAWN GRASS.

This is by far the best mixture of grasses offered for the purpose of quickly producing a permanent lawn. It is prepared from our own formula, and is a careful blending of varieties adapted to producing the thick growth and velvety appearance so much sought after. Per qt., 30 cts., postpaid. By express or freight—Qt., 25 cts.; 4 qts., 75 cts.; peck, \$1.25; bus. (20 lbs.), \$5.00.

## DREER'S SHADY PLACE GRASS.

Usually it is quite difficult to obtain a satisfactory growth of grass under trees and in shady places; for sowing in such places we recommend the use of this special mixture. It will quickly produce an abundant and even growth of beautiful green grass. Per qt., 30 cts., postpaid. By express or freight—Qt., 25 cts.; 4 qts., 75 cts.; peck, \$1.25; bus. (20 lbs.), \$5.00.

## DREER'S SEASHORE LAWN GRASS.

A combination of hardy grasses and white clover adapted for seashore lawns. Failures and unsatisfactory conditions of most lawns at the seashore are largely due to the use of varieties totally unsuited to the conditions existing. We recommend this mixture as the best for sowing at the seashore. Per qt., 30 cts., postpaid. By express or freight—Qt., 25 cts.; 4 qts., 75 cts.; peck, \$1.25; bus. (20 lbs.), \$5.00.

## DREER'S TERRACE GRASS.

Ordinary lawn grass will not hold the soil on terraces and embankments, which require a thick turf, composed of varieties which make strong roots to take hold of the soil and prevent washing by heavy rains. Our terrace grass is a combination of such grasses, and will fill the requirements by making a quick growth of grass, forming a close mat and presenting a fine appearance. Per qt., 30 cts., postpaid. By express or freight—Qt., 25 cts.; 4 qts., 75 cts.; peck, \$1.25; bus. (20 lbs.), \$5.00.

## DREER'S "EVERGREEN" LAWN GRASS.

This special mixture produces beautiful and permanent lawns. It is made from our own formula, and composed of grasses which are adapted for the purpose of producing turf which retains its rich green color and velvety appearance throughout the entire summer and fall. Per qt., 25 cts., postpaid. By express or freight—Qt., 20 cts.; 4 qts., 65 cts.; peck, \$1.00; bus. (20 lbs.), \$4.00.

## DREER'S "FAIRMOUNT" PARK LAWN GRASS.

This mixture is well suited for various soil conditions, giving good results even in small city grass plots, where the soil is generally stiff and heavy. Also valuable for renovating old worn-out lawns and reseeding bare places. Per qt., 20 cts., postpaid. By express or freight—Qt., 15 cts.; 4 qts., 55 cts.; peck, 90 cts.; bus. (20 lbs.), \$3.50.

## DREER'S PUTTING GREEN MIXTURE.

A careful study of the requirements for making the most substantial turf for Putting Greens developed the mixture herewith offered by us for this purpose. It has given thorough satisfaction wherever used, and produces a thick, tough, beautiful green turf. Per qt., 35 cts., postpaid. By express or freight—Qt., 30 cts.; 4 qts., \$1.00; peck, \$1.75; bus. (25 lbs.), \$7.00.

## DREER'S GOLF LINKS MIXTURE.

Made from our formula with the object of producing a turf which will stand rough usage. For Tennis Courts, Cricket Tables, Golf Links, Polo Grounds, or wherever a good sward is wanted, this seed will give perfect satisfaction. This brand is used by many leading Golf Clubs throughout the country. Per qt., 20 cts., postpaid. By express or freight—Qt., 15 cts.; 4 qts., 50 cts.; peck, 75 cts.; bus. (15 lbs.), \$3.00.

**Henry A. Dreer** Seeds, Plants, Bulbs and Horticultural Supplies  
714 and 716 CHESTNUT STREET, Philadelphia